INDEX OF AUTHORS

Ackerly, S. C. Hydrodynamics of rapid shell closure in articulate brachiopods **156**, 287
Adams, N. J. *See* Wilson, R. P.
Addink, A. D. F. *See* Hardewig, I.
Adolph, S. C. *See* Sinervo, B.
Agnisola, C., Driedzic, W. R., Foster, A. R., Houlihan, D. F. and Stewart, J. M. Oxygen consumption, carbon dioxide production and enzyme activities of isolated working *Octopus* heart **157**, 543
Agnisola, C. and Houlihan, D. F. Oxygen supply and *in vitro* performance of the sytemic heart of *Octopus vulgaris*: effects of haemocyanin **157**, 523
Ahearn, G. A. *See* Titus, E.
Ahearn, G. A. and Behnke, R. D. L-Proline transport systems of starfish pyloric caeca **158**, 477
Ahearn, G. A. and Franco, P. Electrogenic $2Na^+/H^+$ antiport in echinoderm gastrointestinal epithelium **158**, 495
Aldridge, H. D. J. N. Vertical flight in the greater horseshoe bat *Rhinolophus ferrumequinum* (Rhinolophidae: Chiroptera) **157**, 183
Alexander, R. McN. Energy-saving mechanisms in walking and running **160**, 55
Alkon, D. L. *See* Etcheberrigaray, R.
Altringham, J. D. *See* Moon, T. W.
—*See* Worthingon, J.
Altringham, J. D. and Young, I. S. Power output and the frequency of oscillatory work in mammalian diaphragm muscle: the effects of animal size **157**, 381
Andersen, N. A. *See* Pörtner, H. O.
Anderson, B. D., Feder, M. E. and Full, R. J. Consequences of a gait change during locomotion in toads (*Bufo woodhousii fowleri*) **158**, 133
Anderson, P. A. V. *See* Holman, M. A.
—*See* McFarlane, I. D.
Andrew, T. *See* Elliott, C. J. H.
Arnold, G. P., Webb, P. W. and Holford, B. H. The role of the pectoral fins in station-holding of Atlantic salmon parr (*Salmo salar* L.) **156**, 625
Ascoli-Christensen, A. *See* Chapman, R. F.
Astell, S. *See* Bowmaker, J. K.
Audsley, N. *See* Thomson, R. B.
Axelsson, M. *See* Jensen, J.
Axelsson, M. and Fritsche, R. Effects of exercise, hypoxia and feeding on the gastrointestinal blood flow in the Atlantic cod *Gadus morhua* **158**, 181

Baba, S. A. *See* Mogami, Y.
Bailey, W. J. *See* Lakes-Harlan, R.
Baksinski, A. *See* Towle, D. W.
Balakrishnan, R. and Rodrigues, V. The *Shaker* and *shaking-B* genes specify elements in the processing of gustatory information in *Drosophila melanogaster* **157**, 161
Barnes, W. J. P. *See* Hanna, G.
Barthe, J.-Y., Bévengut, M. and Clarac, F. The swimmeret rhythm and its relationships with postural and locomotor activity in the isolated nervous system of the crayfish *Procambarus clarkii* **157**, 205
Bässler, U. *See* Radnikow, G.
Baudinette, R. V. The energetics and cardiorespiratory correlates of mammalian terrestrial locomotion **160**, 209
Behnke, R. D. *See* Ahearn, G. A.
Bemis, W. E. *See* Pelster, B.
Benjamin, P. R. *See* Ferguson, G. P.
Bennett, A. F. The evolution of activity capacity **160**, 1
—*See* Wainwright, P. C.
Bernal, J., Kelsey, A. M. and Ehrlich, B. E. GTP-γ-S increases the duration of backward swimming behavior and the calcium action potential in marine *Paramecium* **155**, 505
Berner, N. J. *See* Ingermann, R. L.
Berry, M. S. *See* Wuttke, W. A.
Bévengut, M. *See* Barthe, J.-Y.
Bianchini, L., Fossat, B., Porthé-Nibelle, J. and Lahlou, B. Activation by *N*-ethylmaleimide of Cl^--dependent K^+ flux in isolated trout hepatocytes **157**, 335
Billeter, R. *See* Hoppeler, H.
Bishop, C. A., Krouse, M. E. and Wine, J. J. Peptide potentiation of calcium channel activity can be seasonally variable **156**, 607
Blackshaw, S. E. *See* Rowlerson, A. M.
Blake, R. W. *See* Covell, J. W.
—*See* Domenici, P.
—*See* Harper, D. G.
—*See* Lovvorn, J. R.
Blickhan, R. *See* Full, R. J.
Block, B. A. *See* Tullis, A.

Bodznick, D. *See* Ronan, M.
Böhm, H., Schildberger, K. and Huber, F. Visual and acoustic course control in the cricket *Gryllus bimaculatus* **159**, 235
Boutilier, R. G. *See* Tang, Y.
—*See* Tufts, B. L.
Bowmaker, J. K., Astell, S., Hunt, D. M. and Mollon, J. D. Photosensitive and photostable pigments in the retinae of Old World monkeys **156**, 1
Brauner, C. *See* Randall, D.
Bräunig, P. A suboesophageal ganglion cell innervates heart and retrocerebral glandular complex in the locust **156**, 567
Britto, L. R. G. *See* Ranvaud, R.
Brodsky, A. K. Vortex formation in the tethered flight of the peacock butterfly *Inachis io* L. (Lepidoptera, Nymphalidae) and some aspects of insect flight evolution **161**, 77
Brooks, S. P. J. and Storey, K. B. Studies on the regulation of enzyme binding during anoxia in isolated tissues of *Busycon canaliculatum* **156**, 467
Brown, I. M. *See* Wharton, D. A.
Brunelli, M. *See* Catarsi, S.
Burleson, M. L. *See* Hedrick, M. S.
—*See* McKenzie, D. J.
Burnett, A. M. *See* Speakman, J. R.
Burnett, L. E. and Mangum, C. P. Different hemocyanin oxygen affinities in *Carcinus maenas* from Maine and Arcachon **155**, 675
Büschges, A. and Pearson, K. G. Adaptive modifications in the flight system of the locust after the removal of wing proprioceptors **157**, 313
Butler, P. J. Exercise in birds **160**, 233
Butt, A. G. and Taylor, H. H. The function of spider coxal glands: effects of feeding and salt-loading on *Porrhothele antipodiana* (Mygalomorpha: Dipluridae) **158**, 439

Calvert, L. *See* McDonald, D. G.
Castellucci, V. F. *See* Dubuc, B.
Catarsi, S. and Brunelli, M. Serotonin depresses the after-hyperpolarization through the inhibition of the Na^+/K^+ electrogenic pump in T sensory neurones of the leech **155**, 261
Cavdek, V. *See* McDonald, D. G.
Chao, A. C., Moffett, D. F. and Koch, A. Cytoplasmic pH and goblet cavity pH in the posterior midgut of the tobacco hornworm *Manduca sexta* **155**, 403
Chapman, R. F., Ascoli-Christensen, A. and White, P. R. Sensory coding for feeding deterrence in the grasshopper *Schistocerca americana* **158**, 241
Charif, R. A. *See* Langbauer, W. R., Jr
Cheek, T. R. *See* Howes, E. A.
Chung, J.-M. and Spencer, A. N. Dopamine as a neuroactive substance in the jellyfish *Polyorchis penicillatus* **156**, 433
Clarac, F. *See* Barthe, J.-Y.
Clauss, W. *See* Krattenmacher, R.
Coats, J. R. *See* Featherstone, D.
Cobb, J. S. *See* Cromarty, S. I.
Colquhoun, L., Holden-Dye, L. and Walker, R. J. The pharmacology of cholinoceptors on the somatic muscle cells of the parasite nematode *Ascaris suum* **158**, 509
Covell, J. W., Smith, M., Harper, D. G. and Blake, R. W. Skeletal muscle deformation in the lateral muscle of the intact rainbow trout *Oncorhynchus mykiss* during fast start maneuvers **156**, 453
Craig, A. and Larochelle, J. The cooling power of pigeon wings **155**, 193
Crockford, T. *See* Langfeld, K. S.
Cromarty, S. I., Cobb, J. S. and Kass-Simon, G. Behavioural analysis of the escape response in the juvenile lobster *Homarus americanus* at different stages of the molt cycle **158**, 565
Culik, B. and Wilson, R. P. Swimming energetics and performance of instrumented Adélie penguins (*Pygoscelis adeliae*) **158**, 355
Curtin, N. A. and Woledge, R. C. Efficiency of energy conversion during shortening of muscle fibres from the dogfish *Scyliorhinus canicula* **158**, 343
Curtis, B. J. and Wood, C. M. The function of the urinary bladder *in vivo* in the freshwater rainbow trout **155**, 567

Dahlhoff, E. and Somero, G. N. Pressure and temperature adaptation of cytosolic malate dehydrogenases of shallow- and deep-living marine invertebrates: evidence for high body temperatures in hydrothermal vent animals **159**, 473
Davis, J. D. *See* Jayne, B. C.
Davis, J. P. L. and Pitman, R. M. Characterization of receptors mediating the actions of dopamine on an identified inhibitory motoneurone of the cockroach **155**, 203
de Graaff, I. *See* Van Waarde, A.

De Graaf, P. J. F. and Roberts, B. L. Effects of vagal sensory input on the breathing rhythm of the carp **155**, 77
—Entrainment of the breathing rhythm of the carp by imposed oscillation of the gill arches **155**, 93
De Vera, L. and Priede, I. G. The heart rate variability signal in rainbow trout (*Oncorhynchus mykiss*) **156**, 611
Dean, J. Effect of load on leg movement and step coordination of the stick insect *Carausius morosus* **159**, 449
Deitmer, J. W. *See* Schirrmacher, K.
Delcomyn, F. Perturbation of the motor system in freely walking cockroaches. I. Rear leg amputation and the timing of motor activity in leg muscles **156**, 483
—Perturbation of the motor system in freely walking cockroaches. II. The timing of motor activity in leg muscles after amputation of a middle leg **156**, 503
Denlinger, D. L. *See* Yoder, J. A.
Domenici, P. and Blake, R. W. The kinematics and performance of the escape response in the angelfish (*Pterophyllum eimikei*) **156**, 187
Dorsett, D. A. and Evans, C. G. Potassium and calcium currents in dissociated muscle fibres of the mollusc *Philine aperta* **155**, 305
Drapeau, P. *See* Sanchez-Armass, S.
Drewes, C. D. *See* Featherstone, D.
Driedzic, W. R. *See* Agnisola, C.
—*See* Sephton, D. H.
Dubas, F. Actions of putative amino acid neurotransmitters on the neuropile arborizations of locust flight motoneurones **155**, 337
Dubois, R. A. *See* Maddess, T.
Dubuc, B. and Castellucci, V. F. Receptive fields and properties of a new cluster of mechanoreceptor neurons innervating the mantle region and the branchial cavity of the marine mollusk *Aplysia californica* **156**, 315
Dudley, R. Biomechanics of flight in neotropical butterflies: aerodynamics and mechanical power requirements **159**, 335
Duittoz, A. H. and Martin, R. J. Antagonist properties of arylaminopyridazine GABA derivatives at the *Ascaris* muscle GABA receptor **159**, 149

Eaton, R. C. and Emberley, D. S. How stimulus direction determines the trajectory of the Mauthner-initiated escape response in a teleost fish **161**, 469
Eddy, F. B. *See* Smith, N. F.
Ehrlich, B. E. *See* Bernal, J.
Ellers, O. and Telford, M. Forces generated by the jaws of clypeasteroids (Echinodermata: Echinoidea) **155**, 585
Ellington, C. P. Limitations on animal flight performance **160**, 71
Ellington, W. R. Arginine kinase and creatine kinase appear to be present in the same cells of an echinoderm muscle **158**, 591
Elliott, C. J. H. and Andrew, T. Temporal analysis of snail feeding rhythms: a three-phase relaxation oscillator **157**, 391
Emberley, D. S. *See* Eaton, R. C.
Erkelens, C. *See* Van Waarde, A.
Esch, H. and Goller, F. Neural control of fibrillar muscles in bees during shivering and flight **159**, 419
Etcheberrigaray, R., Huddie, P. L. and Alkon, D. L. Gigaohm single-channel recording from isolated *Hermissenda crassicornis* type B photoreceptors **156**, 619
Evans, C. G. *See* Dorsett, D. A.
Evans, D. H. Rat atriopeptin dilates vascular smooth muscle of the ventral aorta from the shark (*Squalus acanthias*) and the hagfish (*Myxine glutinosa*) **157**, 551
Evans, P. D. *See* Whim, M. D.
Evans, P. D., Reale, V., Merzon, R. M. and Villegas, J. *N*-Methyl-D-aspartate (NMDA) and non-NMDA type glutamate receptors are present on squid giant axon Schwann cells **157**, 593

Farrell, A. P. *See* Milligan, C. L.
Featherstone, D., Drewes, C. D. and Coats, J. R. Noninvasive detection of electrical events during the startle reflex in larval medaka **158**, 583
Feder, M. E. *See* Anderson, B. D.
Ferguson, G. P. and Benjamin, P. R. The whole-body withdrawal response of *Lymnaea stagnalis*. I. Identification of central motoneurones and muscles **158**, 63
—The whole-body withdrawal response of *Lymnaea stagnalis*. II. Activation of central motoneurones and muscles by sensory input **158**, 97
Ferguson, R. A. and Storey, K. B. Glycolytic and associated enzymes of rainbow trout (*Oncorhynchus mykiss*) red cells: *in vitro* and *in vivo* studies **155**, 469
Flanigan, J. E., Withers, P. C. and Guppy, M. *In vitro* metabolic depression of tissues

from the aestivating frog *Neobatrachus pelobatoides* **161**, 273
Flik, G. *See* van der Velden, J. A.
Flügel, C. and Lütjen-Drecoll, E. Distribution of carbonic anhydrase in the uterus of late-term pregnant spiny dogfish (*Squalus acanthias*) **158**, 531
Forster, M. E. Myocardial oxygen consumption and lactate release by the hypoxic hagfish heart **156**, 583
Fossat, B. *See* Bianchini, L.
Foster, A. R. *See* Agnisola, C.
Fourtner, C. R. *See* Loretz, C. A.
Francis, L. Sailing downwind: aerodynamic performance of the *Velella* sail **158**, 117
Franco, P. *See* Ahearn, G. A.
Fresser, F., Moser, H. and Mair, N. Intra- and extracellular use and evaluation of ammonium-selective microelectrodes **157**, 227
Fritsche, R. *See* Axelsson, M.
—*See* Perry, S. F.
Fujima, K. *See* Mogami, Y.
Full, R. J. *See* Anderson, B. D.
Full, R. J., Blickhan, R. and Ting, L. H. Leg design in hexapedal runners **158**, 369
Full, R. J. and Tu, M. S. Mechanics of a rapid running insect: two-, four- and six-legged locomotion **156**, 215
Funte, L. R. *See* Richmond, J. E.

Ganzhorn, J. U. *See* Ranvaud, R.
Gasparotto, O. C. *See* Ranvaud, R.
Gerencser, G. A. Subcellular carbonic anhydrase profile in *Aplysia* gut **161**, 515
Gewecke, M. *See* Preiss, R.
Gibbons, C. A. and Shadwick, R. E. Circulatory mechanics in the toad *Bufo marinus*. I. Structure and mechanical design of the aorta **158**, 275
—Circulatory mechanics in the toad *Bufo marinus*. II. Haemodynamics of the arterial Windkessel **158**, 291
Gibbons, I. R. *See* Shingyoji, C.
Gifford, A. N., Nicholson, R. A. and Pitman, R. M. The dopamine and 5-hydroxytryptamine content of locust and cockroach salivary neurones **161**, 405
Gillette, R., Saeki, M. and Huang, R.-C. Defense mechanisms in notaspid snails: acid humor and evasiveness **156**, 335
Gleeson, T. T. Patterns of metabolic recovery from exercise in amphibians and reptiles **160**, 187
Goldspink, D. F. Exercise-related changes in protein turnover in mammalian striated muscle **160**, 127
Goller, F. *See* Esch, H.
Greenaway, P. *See* Morris, S.
Greisinger, U. *See* Wenning, A.
Grieshaber, M. K. *See* Hardewig, I.
Grimmelikhuijzen, C. J. P. *See* McFarlane, I. D.
Groenewold, L. *See* Videler, J.
Guppy, M. *See* Flanigan, J. E.

Hadley, N. F., Quinlan, M. C. and Kennedy, M. L. Evaporative cooling in the desert cicada: thermal efficiency and water/metabolic costs **159**, 269
Hagar, A. F. *See* Siebenaller, J. F.
Hainsworth, F. R., Precup, E. and Hamill, T. Feeding, energy processing rates and egg production in painted lady butterflies **156**, 249
Hamaguchi, M. S., Ishijima, S., Hamaguchi, Y. and Hiramoto, Y. Double-focal videomicroscopy: a simple video system for analyzing the dynamics of cell motility **161**, 537
Hamaguchi, Y. *See* Hamaguchi, M. S.
Hamill, T. *See* Hainsworth, F. R.
Hand, S. C. *See* Rees, B. B.
Hanna, G. and Barnes, W. J. P. Adhesion and detachment of the toe pads of tree frogs **155**, 103
Hardewig, I., Addink, A. D. F., Grieshaber, M. K., Pörtner, H. O. and van den Thillart, G. Metabolic rates at different oxygen levels determined by direct and indirect calorimetry in the oxyconformer *Sipunculus nudus* **157**, 143
Harper, D. G. *See* Covell, J. W.
Harper, D. G. and Blake, R. W. Prey capture and the fast-start performance of northern pike *Esox lucius* **155**, 175
Harrison, J. B. *See* Maddrell, S. H. P.
Harrison, J. F. *See* Stagg, A. P.
Harris-Warrick, R. M. *See* Johnson, B. R.
Hartley, J. C. *See* Stephen, R. O.
Hatt, H. *See* Zufall, F.
Haydon, P. G. *See* Richmond, J. E.
Hedges, R. *See* Sinervo, B.
Hedrick, M. S., Burleson, M. L., Jones, D. R. and Milsom, W. K. An examination of central chemosensitivity in an air-breathing fish (*Amia calva*) **155**, 165
Heinz, M. *See* Krattenmacher, R.
Heisler, N. *See* Iwama, G. K.
—*See* Pörtner, H. O.
Henriksson, J. Effect of exercise on amino acid concentrations in skeletal muscle and plasma **160**, 149
Herman, W. S. *See* Maddrell, S. H. P.

Heusner, A. A. Size and power in mammals **160**, 25
Hiramoto, Y. *See* Hamaguchi, M. S.
Holden-Dye, L. *See* Colquhoun, L.
Holford, B. H. *See* Arnold, G. P.
Holman, M. A. and Anderson, P. A. V. Voltage-activated ionic currents in myoepithelial cells isolated from the sea anemone *Calliactis tricolor* **161**, 333
Holmgren, S. *See* Jensen, J.
—*See* Lundin, K.
Hoppeler, H. and Billeter, R. Conditions for oxygen and substrate transport in muscles in exercising mammals **160**, 263
Houlihan, D. F. *See* Agnisola, C.
Howes, E. A., Cheek, T. R. and Smith, P. J. S. Long-term growth *in vitro* of isolated, fully differentiated neurones from the central nervous system of an adult insect **156**, 591
Hoy, R. R. *See* May, M. L.
Huang, R.-C. *See* Gillette, R.
Huber, F. *See* Böhm, H.
Huddie, P. L. *See* Etcheberrigaray, R.
Hughes, P. M. and Rayner, J. M. V. Addition of artificial loads to long-eared bats *Plecotus auritus*: handicapping flight performance **161**, 285
Hunt, D. M. *See* Bowmaker, J. K.
Hustert, R. *See* Skorupski, P.

Ibbotson, M. R. A motion-sensitive visual descending neurone in *Apis mellifera* monitoring translatory flow-fields in the horizontal plane **157**, 573
—*See* Maddess, T.
Ichikawa, T. Architecture of cerebral neurosecretory cell systems in the silkworm *Bombyx mori* **161**, 217
—Integration of colour signals in the medulla of the swallowtail butterfly larva **155**, 127
Ingermann, R. L. *See* Ragsdale, F. R.
Ingermann, R. L., Berner, N. J. and Ragsdale, F. R. Changes in red cell ATP concentration and oxygen-affinity following birth in the neonatal garter snake *Thamnophis elegans* **157**, 579
—Effect of pregnancy and temperature on red cell oxygen-affinity in the viviparous snake *Thamnophis elegans* **156**, 399
Ip, Y. K. and Lim, A. L. L. Are calcium and strontium transported by the same mechanism in the hermatypic coral *Galaxea fascicularis*? **159**, 507
Ishijima, S. *See* Hamaguchi, M. S.
Iwama, G. K. and Heisler, N. Effect of environmental water salinity on acid–base regulation during environmental hypercapnia in the rainbow trout (*Oncorhynchus mykiss*) **158**, 1

Jayne, B. C. and Davis, J. D. Kinematics and performance capacity for the concertina locomotion of a snake (*Coluber constrictor*) **156**, 539
Jensen, J., Axelsson, M. and Holmgren, S. Effects of substance P and vasoactive intestinal polypeptide on gastrointestinal blood flow in the Atlantic cod *Gadus morhua* **156**, 361
Johnson, B. R., Peck, J. H. and Harris-Warrick, R. M. Temperature sensitivity of graded synaptic transmission in the lobster stomatogastric ganglion **156**, 267
Johnson, T. P. and Johnston, I. A. Power output of fish muscle fibres performing oscillatory work: effects of acute and seasonal temperature change **157**, 409
Johnston, I. A. Muscle action during locomotion: a comparative perspective **160**, 167
—*See* Johnson, T. P.
—*See* Langfeld, K. S.
—*See* Moon, T. W.
Jones, D. R. *See* Hedrick, M. S.
—*See* Lovvorn, J. R.
—*See* Shelton, G.
Josephson, R. K. *See* Malamud, J. G.

Kaila, K. *See* Voipio, J.
Kass-Simon, G. *See* Cromarty, S. I.
Kaunzinger, I. *See* Kramer, B.
Keil, T. A. *See* Zufall, F.
Kelsey, A. M. *See* Bernal, J.
Kennedy, M. L. *See* Hadley, N. F.
Kestler, P. *See* Machin, J.
Kiepenheuer, J. *See* Ranvaud, R.
Kinkead, R. *See* Perry, S. F.
—*See* Thomas, S.
Kirk, K. K^+ transport across the lamprey erythrocyte membrane: characteristics of a Ba^{2+}- and amiloride-sensitive pathway **159**, 303
—The effect of *N*-ethylmaleimide on K^+ and Cl^- transport pathways in the lamprey erythrocyte membrane: activation of K^+/Cl^- cotransport **159**, 325
Kittmann, R. Gain control in the femur–tibia feedback system of the stick insect **157**, 503
Klein, U., Löffelmann, G. and Wieczorek, H. The midgut as a model system for insect K^+-transporting epithelia:

immunocytochemical localization of a vacuolar-type H^+ pump **161**, 61

Knox, P. C. and Neil, D. M. The coordinated action of abdominal postural and swimmeret motor systems in relation to body tilt in the pitch plane in the Norway lobster *Nephrops norvegicus* **155**, 605

Kobayashi, M. *See* Yoshida, M.

Koch, A. *See* Chao, A. C.

—*See* Moffett, D. F.

Kogawauchi, S. *See* Shiga, S.

Kordylewski, M. *See* Towle, D. W.

Kraklau, D. M. *See* Wainwright, P. C.

Kramer, B. and Kaunzinger, I. Electrosensory frequency and intensity discrimination in the wave-type electric fish *Eigenmannia* **161**, 43

Kramer, B. and Otto, B. Waveform discrimination in the electric fish *Eigenmannia*: sensitivity for the phase differences between the spectral components of a stimulus wave **159**, 1

Krämer, H. *See* Kutsch, W.

Krattenmacher, R., Voigt, R., Heinz, M. and Clauss, W. Electrolyte transport through a cation-selective ion channel in large intestinal enterocytes of *Xenopus laevis* **155**, 275

Krouse, M. E. *See* Bishop, C. A.

Kutsch, W., Neubauer, K. and Krämer, H. Flight motor pattern in abdominal segments of locusts **156**, 629

Lafortuna, C. L. and Saibene, F. Mechanics of breathing in horses at rest and during exercise **155**, 245

Lahlou, B. *See* Bianchini, L.

Lakes-Harlan, R., Bailey, W. J. and Schikorski, T. The auditory system of an atympanate bushcricket, *Phasmodes ranatriformes* (Westwood) (Tettigoniidae: Orthoptera) **158**, 307

Lampert, G. J. *See* Machin, J.

Lamprecht, I. H. D., Matuschka, F.-R. and Schaarschmidt, B. Microcalorimetric investigations on the energy metabolism of lizards **156**, 375

Langbauer, W. R., Jr, Payne, K. B., Charif, R. A., Rapaport, L. and Osborn, F. African elephants respond to distant playbacks of low-frequency conspecific calls **157**, 35

Langfeld, K. S., Crockford, T. and Johnston, I. A. Temperature acclimation in the common carp: force–velocity characteristics and myosin subunit composition of slow muscle fibres **155**, 291

Larochelle, J. *See* Craig, A.

Lighton, J. R. B. Ventilation in Namib Desert tenebrionid beetles: mass scaling and evidence of a novel quantized flutter-phase **159**, 249

Lim, A. L. L. *See* Ip, Y. K.

Lin, H. and Randall, D. Evidence for the presence of an electrogenic proton pump on the trout gill epithelium **161**, 119

Link, R. *See* Wilson, R. P.

Löffelmann, G. *See* Klein, U.

Lohmann, K. J. Magnetic orientation by hatchling loggerhead sea turtles (*Caretta caretta*) **155**, 37

Lohmann, K. J., Willows, A. O. D. and Pinter, R. B. An identifiable molluscan neuron responds to changes in earth-strength magnetic fields **161**, 1

Lomholt, J. P. *See* Schurmann, H.

Lönnendonker, U. Dynamic properties of orientation to a visually fixated target by walking Colorado beetles **158**, 149

Loretz, C. A. and Fourtner, C. R. Identification of a basolateral membrane potassium channel from teleost intestinal epithelial cells **159**, 45

Lovvorn, J. R., Jones, D. R. and Blake, R. W. Mechanics of underwater locomotion in diving ducks: drag, buoyancy and acceleration in a size gradient of species **159**, 89

Lundin, K. and Holmgren, S. An X-ray study of the influence of vasoactive intestinal polypeptide and substance P on the secretion of gas into the swimbladder of a teleost *Gadus morhua* **157**, 287

Lütjen-Drecoll, E. *See* Flügel, C.

McDonald, D. G., Cavdek, V., Calvert, L. and Milligan, C. L. Acid–base regulation in the Atlantic hagfish *Myxine glutinosa* **161**, 201

McFall-Ngai, M. and Morin, J. G. Camouflage by disruptive illumination in leiognathids, a family of shallow-water, bioluminescent fishes **156**, 119

McFarlane, I. D., Anderson, P. A. V. and Grimmelikhuijzen, C. J. P. Effects of three anthozoan neuropeptides, Antho-RWamide I, Antho-RWamide II and Antho-RFamide, on slow muscles from sea anemones **156**, 419

McFarlane, I. D. and Grimmelikhuijzen, C. J. P. Three anthozoan neuropeptides, Antho-RFamide and Antho-RWamides I

and II, modulate spontaneous tentacle contractions in sea anemones **155**, 669
Machemer, H. *See* Mogami, Y.
Machin, J. *See* O'Donnell, M. J.
—*See* Sigal, M. D.
Machin, J., Kestler, P. and Lampert, G. J. Simultaneous measurements of spiracular and cuticular water losses in *Periplaneta americana*: implications for whole-animal mass loss studies **161**, 439
McKean, T. A. Calcium uptake by mitochondria isolated from muskrat and guinea pig hearts **157**, 133
McKenzie, D. J., Burleson, M. L. and Randall, D. J. The effects of branchial denervation and pseudobranch ablation on cardioventilatory control in an air-breathing fish **161**, 347
MacPhee, W. L. *See* Sephton, D. H.
Maddess, T., Dubois, R. A. and Ibbotson, M. R. Response properties and adaptation of neurones sensitive to image motion in the butterfly *Papilio aegeus* **161**, 171
Maddrell, S. H. P., Herman, W. S., Mooney, R. L. and Overton, J. A. 5-Hydroxytryptamine: a second diuretic hormone in *Rhodnius prolixus* **156**, 557
Maddrell, S. H. P., Whittembury, G., Mooney, R. L., Harrison, J. B., Overton, J. A. and Rodriguez, B. The fate of calcium in the diet of *Rhodnius prolixus*: storage in concretion bodies in the Malpighian tubules **157**, 483
Mair, N. *See* Fresser, F.
Malamud, J. G. and Josephson, R. K. Force–velocity relationships of a locust flight muscle at different times during a twitch contraction **159**, 65
Malhotra, D. *See* Rees, B. B.
Maloney, M. S., Walsh, P. R. and Rhoadarmer, K. B. Calcium and calmodulin antagonists delay oral regeneration in the ciliate *Stentor coeruleus* **161**, 135
Malvin, G. M. *See* Wood, S. C.
Mangum, C. P. *See* Burnett, L. E.
Manley, P. E., Jr *See* Siegler, M. V. S.
Martin, R. J. *See* Duittoz, A. H.
Matuschka, F.-R. *See* Lamprecht, I. H. D.
May, M. L. Dragonfly flight: power requirements at high speed and acceleration **158**, 325
May, M. L. and Hoy, R. R. Habituation of the ultrasound-induced acoustic startle response in flying crickets **159**, 489
Mempel, H. *See* Wilson, R. P.
Mercier, A. J., Orchard, I. and TeBrugge, V. FMRFamide-like immunoreactivity in the crayfish nervous system **156**, 519
Merz, D. C. *See* Sanchez-Armass, S.
Merzon, R. M. *See* Evans, P. D.
Milligan, C. L. Adrenergic stimulation of substrate utilization by cardiac myocytes isolated from rainbow trout **159**, 185—*See* McDonald, D. G.
—*See* Pagnotta, A.
Milligan, C. L. and Farrell, A. P. Lactate utilization by an *in situ* perfused trout heart: effects of workload and blockers of lactate transport **155**, 357
Milsom, W. K. *See* Hedrick, M. S.
Mitchell, B. K. *See* Sperling, J. L. H.
Møllgård, K. *See* Stewart, R. R.
Moffett, D. F. *See* Chao, A. C.
Moffett, D. F. and Koch, A. Lidocaine and barium distinguish separate routes of transbasal K^+ uptake in posterior midgut of the tobacco hornworm (*Manduca sexta*) **157**, 243
Mogami, Y., Fujima, K. and Baba, S. A. Five different states of ciliary activity in the epaulette of echinoplutei **155**, 65
Mogami, Y. and Machemer, H. A novel type of ciliary activity in *Stylonychia mytilus*: analysis of potential-coupled motor responses in the transverse cirri **161**, 239
Mollon, J. D. *See* Bowmaker, J. K.
Mommsen, T. P. and Walsh, P. J. Metabolic and enzymatic heterogeneity in the liver of the ureogenic teleost *Opsanus beta* **156**, 407
Moon, T. W. *See* Reid, S. D.
Moon, T. W., Altringham, J. D. and Johnston, I. A. Energetics and power output of isolated fish fast muscle fibres performing oscillatory work **158**, 261
Mooney, R. L. *See* Maddrell, S. H. P.
Morin, J. G. *See* McFall-Ngai, M.
Morris, S., Taylor, H. H. and Greenaway, P. Adaptations to a terrestrial existence by the robber crab *Birgus latro*. VII. The branchial chamber and its role in urine reprocessing **161**, 315
Moser, H. *See* Fresser, F.
Mulloney, B. *See* Sherff, C. M.
Murakami, A. *See* Shingyoji, C.
Murray, T. F. *See* Siebenaller, J. F.

Needham, G. R. *See* Sigal, M. D.
Neil, D. M. *See* Knox, P. C.
Nestler, J. R. *See* Snyder, G. K.
Neubauer, K. *See* Kutsch, W.

Nevitt, G. A. Do fish sniff? A new mechanism of olfactory sampling in pleuronectid flounders **157**, 1
Newland, P. L. Physiological properties of afferents from tactile hairs on the hindlegs of the locust **155**, 487
Nicholls, J. G. *See* Stewart, R. R.
Nicholson, R. A. *See* Gifford, A. N.
Nikinmaa, M. *See* Tiihonen, K.
Nilsson, S. *See* Perry, S. F.
Nishikawa, K. C. and Roth, G. The mechanism of tongue protraction during prey capture in the frog *Discoglossus pictus* **159**, 217
Norberg, R. A. The flappet lark *Mirafra rufocinnamomea* doubles its wingbeat rate to 24 Hz in wing-clap display flight: a sexually selected feat **159**, 515
Norberg, U. M. *See* Thollesson, M.

O'Donnell, M. J. and Machin, J. Ion activities and electrochemical gradients in the mealworm rectal complex **155**, 375
O'Dor, R. K. and Webber, D. M. Invertebrate athletes: trade-offs between transport efficiency and power density in cephalopod evolution **160**, 93
Orchard, I. *See* Mercier, A. J.
Osborn, F. *See* Langbauer, W. R., Jr
Otto, B. *See* Kramer, B.
Ottosson, U. *See* Sandberg, R.
Overton, J. A. *See* Maddrell, S. H. P.

Pagnotta, A. and Milligan, C. L. The role of blood glucose in the restoration of muscle glycogen during recovery from exhaustive exercise in rainbow trout (*Oncorhynchus mykiss*) and winter flounder (*Pseudopleuronectes americanus*) **161**, 489
Panchin, Y. V., Perrins, R. J. and Roberts, A. The action of acetylcholine on the locomotor central pattern generator for swimming in *Xenopus* embryos **161**, 527
Pasternack, M. *See* Voipio, J.
Payne, K. B. *See* Langbauer, W. R., Jr
Pearson, K. G. *See* Büschges, A.
Peck, J. H. *See* Johnson, B. R.
Peckham, M. and White, D. C. S. Mechanical properties of demembranated flight muscle fibres from a dragonfly **159**, 135
Pelster, B. and Bemis, W. E. Ontogeny of heart function in the little skate *Raja erinacea* **156**, 387
Pelster, B. and Scheid, P. Activities of enzymes for glucose catabolism in the swimbladder of the European eel *Anguilla anguilla* **156**, 207
Perrins, R. J. *See* Panchin, Y. V.
Perry, S. F. *See* Reid, S. D.
—*See* Thomas, S.
—*See* Wood, C. M.
Perry, S. F., Fritsche, R., Kinkead, R. and Nilsson, S. Control of catecholamine release *in vivo* and *in situ* in the Atlantic cod (*Gadus morhua*) during hypoxia **155**, 549
Perry, S. F., Wood, C. M., Thomas, S. and Walsh, P. J. Adrenergic inhibition of carbon dioxide excretion by trout red blood cells *in vitro* is mediated by activation of Na^+/H^+ exchange **157**, 367
Pettersson, J. *See* Sandberg, R.
Phillips, J. B. *See* Waldvogel, J. A.
Phillips, J. E. *See* Stagg, A. P.
—*See* Thomson, R. B.
Pinter, R. B. *See* Lohmann, K. J.
Pitman, R. M. *See* Davis, J. P. L.
—*See* Gifford, A. N.
Porthé-Nibelle, J. *See* Bianchini, L.
Pörtner, H. O. *See* Hardewig, I.
Pörtner, H. O., Andersen, N. A. and Heisler, N. Proton-equivalent ion transfer in *Sipunculus nudus* as a function of ambient oxygen tension: relationships with energy metabolism **156**, 21
Precup, E. *See* Hainsworth, F. R.
Preiss, R. and Gewecke, M. Compensation of visually simulated wind drift in the swarming flight of the desert locust (*Schistocerca gregaria*) **157**, 461
Price, D. A. *See* Richmond, J. E.
Priede, I. G. *See* De Vera, L.
Prior, D. J. *See* Welsford, I. G.
Proux, J. P. *See* Wenning, A.

Quinlan, M. C. *See* Hadley, N. F.

Racey, P. A. *See* Speakman, J. R.
Radnikow, G. and Bässler, U. Function of a muscle whose apodeme travels through a joint moved by other muscles: why the retractor unguis muscle in stick insects is tripartite and has no antagonist **157**, 87
Ragsdale, F. R. *See* Ingermann, R. L.
Ragsdale, F. R. and Ingermann, R. L. Influence of pregnancy on the oxygen affinity of red cells from the northern Pacific rattlesnake *Crotalus viridis oreganus* **159**, 501
Rajashekhar, K. P. and Wilkens, J. L. Control of 'pulmonary' pressure and coordination with gill ventilation in the shore crab *Carcinus maenas* **155**, 147
Randall, D. *See* Lin, H.

Randall, D. and Brauner, C. Effects of environmental factors on exercise in fish **160**, 113
Randall, D. J. *See* McKenzie, D. J.
Ranvaud, R., Schmidt-Koenig, K., Ganzhorn, J. U., Kiepenheuer, J., Gasparotto, O. C. and Britto, L. R. G. The initial orientation of homing pigeons at the magnetic equator: compass mechanisms and the effect of applied magnets **161**, 299
Rapaport, L. *See* Langbauer, W. R., Jr
Rayner, J. M. V. *See* Hughes, P. M.
Reale, V. *See* Evans, P. D.
Rees, B. B., Malhotra, D., Shapiro, J. I. and Hand, S. C. Intracellular pH decreases during entry into estivation in the land snail *Oreohelix strigosa* **159**, 525
Reid, S. D., Moon, T. W. and Perry, S. F. Characterization of β-adrenoreceptors of rainbow trout (*Oncorhynchus mykiss*) erythrocytes **158**, 199
Reid, S. D. and Perry, S. F. The effects and physiological consequences of elevated cortisol on rainbow trout (*Oncorhynchus mykiss*) erythrocyte β-adrenoreceptors **158**, 217
Rhoadarmer, K. B. *See* Maloney, M. S.
Richard, N. E. *See* Towle, D. W.
Richmond, J. E., Funte, L. R., Smith, W. L., Price, D. A. and Haydon, P. G. Activation of a peptidergic synapse locally modulates postsynaptic calcium influx **161**, 257
Roberts, A. *See* Panchin, Y. V.
Roberts, B. L. *See* De Graaf, P. J. F.
Rodrigues, V. *See* Balakrishnan, R.
Rodriguez, B. *See* Maddrell, S. H. P.
Ronacher, B. *See* Stumpner, A.
Ronan, M. and Bodznick, D. Behavioral and neurophysiological demonstration of a lateralis skin photosensitivity in larval sea lampreys **161**, 97
Roth, G. *See* Nishikawa, K. C.
Rowlerson, A. M. and Blackshaw, S. E. Fibre types in leech body wall muscle **157**, 299
Rydqvist, B. *See* Voipio, J.

Saeki, M. *See* Gillette, R.
Saibene, F. *See* Lafortuna, C. L.
Salleo, A. *See* Santoro, G.
Sanchez-Armass, S., Merz, D. C. and Drapeau, P. Distinct receptors, second messengers and conductances underlying the dual responses to serotonin in an identified leech neurone **155**, 531
Sandberg, R., Ottosson, U. and Pettersson, J. Magnetic orientation of migratory wheatears (*Oenanthe oenanthe*) in Sweden and Greenland **155**, 51
Santoro, G. and Salleo, A. The discharge of *in situ* nematocysts of the acontia of *Aiptasia mutabilis* is a Ca^{2+}-induced response **156**, 173
Satterlie, R. A. Electrophysiology of swim musculature in the pteropod mollusc *Clione limacina* **159**, 285
Saunders, N. R. *See* Stewart, R. R.
Schaarschmidt, B. *See* Lamprecht, I. H. D.
Scheid, P. *See* Pelster, B.
Schikorski, T. *See* Lakes-Harlan, R.
Schildberger, K. *See* Böhm, H.
Schirrmacher, K. and Deitmer, J. W. Sodium- and calcium-dependent excitability of embryonic leech ganglion cells in culture **155**, 435
Schmidt-Koenig, K. *See* Ranvaud, R.
Schultz, W. W. *See* Webb, P. W.
Schurmann, H., Steffensen, J. F. and Lomholt, J. P. The influence of hypoxia on the preferred temperature of rainbow trout *Oncorhynchus mykiss* **157**, 75
Sephton, D. H., MacPhee, W. L. and Driedzic, W. R. Metabolic enzyme activities, oxygen consumption and glucose utilization in sea raven (*Hemitripterus americanus*) erythrocytes **159**, 407
Shadwick, R. E. *See* Gibbons, C. A.
Shapiro, J. I. *See* Rees, B. B.
Shelton, G. and Jones, D. R. The physiology of the alligator heart: the cardiac cycle **158**, 539
Sherff, C. M. and Mulloney, B. Red pigment concentrating hormone is a modulator of the crayfish swimmeret system **155**, 21
Shiga, S., Kogawauchi, S., Yasuyama, K. and Yamaguchi, T. Flight behaviour and selective degeneration of flight muscles in the adult cricket (*Gryllus bimaculatus*) **155**, 661
Shingyoji, C., Gibbons, I. R., Murakami, A. and Takahashi, K. Effect of imposed head vibration on the stability and waveform of flagellar beating in sea urchin spermatozoa **156**, 63
Sidell, B. D. *See* Tullis, A.
Siebenaller, J. F., Hagar, A. F. and Murray, T. F. The effects of hydrostatic pressure on A1 adenosine receptor signal transduction in brain membranes of two congeneric marine fishes **159**, 23
Siegler, M. V. S., Manley, P. E., Jr and Thompson, K. J. Sulphide silver staining

for endogenous heavy metals reveals subsets of dorsal unpaired median (DUM) neurones in insects **157**, 565

Sigal, M. D., Machin, J. and Needham, G. R. Hyperosmotic oral fluid secretion during active water vapour absorption and during desiccation-induced storage-excretion by the unfed female tick *Amblyomma americanum* **157**, 585

Sillar, K. T. *See* Soffe, S. R.

Sims, D. *See* Webb, P. W.

Sinervo, B., Hedges, R. and Adolph, S. C. Decreased sprint speed as a cost of reproduction in the lizard *Sceloporus occidentalis*: variation among populations **155**, 323

Skorupski, P. and Hustert, R. Reflex pathways responsive to depression of the locust coxotrochanteral joint **158**, 599

Smith, A. M. Negative pressure generated by octopus suckers: a study of the tensile strength of water in nature **157**, 257

—The role of suction in the adhesion of limpets **161**, 151

Smith, B. H. The olfactory memory of the honeybee *Apis mellifera*. I. Odorant modulation of short- and intermediate-term memory after single-trial conditioning **161**, 367

Smith, M. *See* Covell, J. W.

Smith, N. F., Eddy, F. B., Struthers, A. D. and Talbot, C. Renin, atrial natriuretic peptide and blood plasma ions in parr and smolts of Atlantic salmon *Salmo salar* L. and rainbow trout *Oncorhynchus mykiss* (Walbaum) in fresh water and after short-term exposure to sea water **157**, 63

Smith, P. J. S. *See* Howes, E. A.

Smith, W. L. *See* Richmond, J. E.

Snyder, G. K. and Nestler, J. R. Intracellular pH in the toad *Bufo marinus* following hypercapnia **161**, 415

Soffe, S. R. Centrally generated rhythmic and non-rhythmic behavioural responses in *Rana temporaria* embryos **156**, 81

Soffe, S. R. and Sillar, K. T. Patterns of synaptic drive to ventrally located spinal neurones in *Rana temporaria* embryos during rhythmic and non-rhythmic motor responses **156**, 101

Somero, G. N. *See* Dahlhoff, E.

Spanings, F. A. T. *See* van der Velden, J. A.

Speakman, J. R., Racey, P. A. and Burnett, A. M. Metabolic and behavioural consequences of the procedures of the doubly labelled water technique on white (MF1) mice **157**, 123

Spencer, A. N. *See* Chung, J.-M.

Sperling, J. L. H. and Mitchell, B. K. A comparative study of host recognition and the sense of taste in *Leptinotarsa* **157**, 439

Stagg, A. P., Harrison, J. F. and Phillips, J. E. Acid–base variables in Malpighian tubule secretion and response to acidosis **159**, 433

Steffensen, J. F. *See* Schurmann, H.

Stephen, R. O. and Hartley, J. C. The transmission of bush-cricket calls in natural environments **155**, 227

Stewart, J. M. *See* Agnisola, C.

Stewart, R. R., Zou, D.-J., Treherne, J. M., Møllgård, K., Saunders, N. R. and Nicholls, J. G. The intact central nervous system of the newborn opossum in long-term culture: fine structure and GABA-mediated inhibition of electrical activity **161**, 25

Stiffler, D. F. Partitioning of acid–base regulation between renal and extrarenal sites in the adult, terrestrial stage of the salamander *Ambystoma tigrinum* during respiratory acidosis **157**, 47

Storey, K. B. *See* Brooks, S. P. J.

—*See* Ferguson, R. A.

Struthers, A. D. *See* Smith, N. F.

Stumpner, A. and Ronacher, B. Auditory interneurones in the metathoracic ganglion of the grasshopper *Chorthippus biguttulus*. I. Morphological and physiological characterization **158**, 391

Stumpner, A., Ronacher, B. and von Helversen, O. Auditory interneurones in the metathoracic ganglion of the grasshopper *Chorthippus biguttulus*. II. Processing of temporal patterns of the song of the male **158**, 411

Syed, N. I. and Winlow, W. Coordination of locomotor and cardiorespiratory networks of *Lymnaea stagnalis* by a pair of identified interneurones **158**, 37

Takahashi, K. *See* Shingyoji, C.

Talbot, C. *See* Smith, N. F.

Tang, Y. and Boutilier, R. G. White muscle intracellular acid–base and lactate status following exhaustive exercise: a comparison between freshwater- and seawater-adapted rainbow trout **156**, 153

Taylor, H. H. *See* Butt, A. G.

—*See* Morris, S.

TeBrugge, V. *See* Mercier, A. J.

Telford, M. *See* Ellers, O.

Thollesson, M. and Norberg, U. M. Moments of inertia of bat wings and body **158**, 19
Thomas, S. *See* Perry, S. F.
Thomas, S., Kinkead, R., Walsh, P. J., Wood, C. M. and Perry, S. F. Desensitization of adrenaline-induced red blood cell H^+ extrusion *in vitro* after chronic exposure of rainbow trout to moderate environmental hypoxia **156**, 233
Thomson, R. B., Audsley, N. and Phillips, J. E. Acid–base transport and control in locust hindgut: artefacts caused by short-circuit current **155**, 455
Tiihonen, K. and Nikinmaa, M. Substrate utilization by carp (*Cyprinus carpio*) erythrocytes **161**, 509
Ting, L. H. *See* Full, R. J.
Titus, E. and Ahearn, G. A. Transintestinal acetate transport in a herbivorous teleost: anion exchange at the basolateral membrane **156**, 41
Towle, D. W., Baksinski, A., Richard, N. E. and Kordylewski, M. Characterization of an endogenous Na^+/H^+ antiporter in *Xenopus laevis* oocytes **159**, 359
Treherne, J. M. *See* Stewart, R. R.
Tu, M. S. *See* Full, R. J.
Tufts, B. L. Acid–base regulation and blood gas transport following exhaustive exercise in an agnathan, the sea lamprey *Petromyzon marinus* **159**, 371
Tufts, B. L. and Boutilier, R. G. Interactions between ion exchange and metabolism in erythrocytes of the rainbow trout *Oncorhynchus mykiss* **156**, 139
Tullis, A., Block, B. A. and Sidell, B. D. Activities of key metabolic enzymes in the heater organs of scombriod fishes **161**, 383
Turner, D. L. Cardiovascular and respiratory control mechanisms during exercise: an integrated view **160**, 309

Underwood, B. A. Thermoregulation and energetic decision-making by the honeybees *Apis cerana*, *Apis dorsata* and *Apis laboriosa* **157**, 19

van den Thillart, G. *See* Hardewig, I.
—*See* Van Waarde, A.
van der Velden, J. A., Spanings, F. A. T., Flik, G. and Wendelaar Bonga, S. E. Early life stages of carp (*Cyprinus carpio* L.) depend on ambient magnesium for their development **158**, 431
Van Waarde, A., de Graaff, I., van den Thillart, G. and Erkelens, C. Acidosis (measured by nuclear magnetic resonance) and ethanol production in anoxic goldfish acclimated to 5 and 20°C **159**, 387
Videler, J. and Groenewold, L. Field measurements of hanging flight aerodynamics in the kestrel *Falco tinnunculus* L. **155**, 519
Villegas, J. *See* Evans, P. D.
Voigt, R. *See* Krattenmacher, R.
Voipio, J., Pasternack, M., Rydqvist, B. and Kaila, K. Effect of γ-aminobutyric acid on intracellular pH in the crayfish stretch-receptor neurone **156**, 349
von Helversen, O. *See* Stumpner, A.

Wainwright, P. C., Kraklau, D. M. and Bennett, A. F. Kinematics of tongue projection in *Chamaeleo oustaleti* **159**, 109
Waldvogel, J. A. and Phillips, J. B. Olfactory cues perceived at the home loft are not essential for the formation of a navigational map in pigeons **155**, 643
Walker, R. J. *See* Colquhoun, L.
Walsh, P. J. *See* Mommsen, T. P.
—*See* Perry, S. F.
—*See* Thomas, S.
Walsh, P. R. *See* Maloney, M. S.
Webb, P. W. *See* Arnold, G. P.
Webb, P. W., Sims, D. and Schultz, W. W. The effects of an air/water surface on the fast-start performance of rainbow trout (*Oncorhynchus mykiss*) **155**, 219
Webber, D. M. *See* O'Dor, R. K.
Weber, J.-M. Effect of endurance swimming on the lactate kinetics of rainbow trout **158**, 463
Welsford, I. G. and Prior, D. J. Modulation of heart activity in the terrestrial slug *Limax maximus* by the feeding motor program, small cardioactive peptides and stimulation of buccal neuron B1 **155**, 1
Wendelaar Bonga, S. E. *See* van der Velden, J. A.
Wenning, A., Greisinger, U. and Proux, J. P. Insect-like characteristics of the Malpighian tubules of a non-insect: fluid secretion in the centipede *Lithobius forficatus* (Myriapoda, Chilopoda) **158**, 165
Westneat, M. W. Linkage biomechanics and evolution of the unique feeding mechanism of *Epibulus insidiator* (Labridae: Teleostei) **159**, 165
Wharton, D. A. and Brown, I. M. Cold-tolerance mechanisms of the antarctic nematode *Panagrolaimus davidi* **155**, 629
Whim, M. D. and Evans, P. D. The role of cyclic AMP in the octopaminergic

modulation of flight muscle in the locust **161**, 423
White, D. C. S. *See* Peckham, M.
White, P. R. *See* Chapman, R. F.
Whittembury, G. *See* Maddrell, S. H. P.
Wieczorek, H. *See* Klein, U.
Wilkens, J. L. *See* Rajashekhar, K. P.
Willows, A. O. D. *See* Lohmann, K. J.
Wilson, M.-P. T. *See* Wilson, R. P.
Wilson, R. P. *See* Culik, B.
Wilson, R. P., Wilson, M.-P. T., Link, R., Mempel, H. and Adams, N. J. Determination of movements of African penguins *Spheniscus demersus* using a compass system: dead reckoning may be an alternative to telemetry **157**, 557
Wine, J. J. *See* Bishop, C. A.
Winlow, W. *See* Syed, N. I.
Withers, P. C. *See* Flanigan, J. E.
Woledge, R. C. *See* Curtin, N. A.
Wolfersberger, M. G. Inhibition of potassium-gradient-driven phenylalanine uptake in larval *Lymantria dispar* midgut by two *Bacillus thuringiensis* delta-endotoxins correlates with the activity of the toxins as gypsy moth larvicides **161**, 519
Wood, C. M. Acid–base and ion balance, metabolism, and their interactions, after exhaustive exercise in fish **160**, 285
—*See* Curtis, B. J.
—*See* Perry, S. F.
—*See* Thomas, S.
Wood, C. M. and Perry, S. F. A new *in vitro* assay for carbon dioxide excretion by trout red blood cells: effects of catecholamines **157**, 349
Wood, S. C. and Malvin, G. M. Physiological significance of behavioral hypothermia in hypoxic toads (*Bufo marinus*) **159**, 203
Worthingon, J., Young, I. S. and Altringham, J. D. The relationship between body mass and ventilatory rate in mammals **161**, 533
Wuttke, W. A. and Berry, M. S. Initiation and modulation of action potentials in salivary gland cells of *Haementeria ghilianii* by putative transmitters and cyclic nucleotides **157**, 101

Yamaguchi, T. *See* Shiga, S.
Yasuyama, K. *See* Shiga, S.
Yoder, J. A., and Denlinger, D. L. Water balance in fleshfly pupae and water vapor absorption associated with diapause **157**, 273
Yoshida, M. and Kobayashi, M. Neural control of the buccal muscle movement in the African giant snail *Achatina fulica* **155**, 415.
Young, I. S. *See* Altringham, J. D.
—*See* Worthingon, J.

Zachariassen, K. E. Routes of transpiratory water loss in a dry-habitat tenebrionid beetle **157**, 425.
Zou, D.-J. *See* Stewart, R. R.
Zufall, F., Hatt, H. and Keil, T. A. A calcium-activated nonspecific cation channel from olfactory receptor neurones of the silkmoth *Antheraea polyphemus* **161**, 455

INDEX OF SUBJECTS

A_1 adenosine receptor:
Effect of pressure on signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Abdomen:
Of locust, flight motor pattern in (KUTSCH, NEUBAUER AND KRÄMER) **156**, 629
Abdominal posture:
Maintenance of, in the lobster (KNOX AND NEIL) **155**, 605
Absorption:
Of water vapour, by an ixodid tick (SIGAL, MACHIN AND NEEDHAM) **157**, 585
Acceleration:
In flying dragonflies (MAY) **158**, 325
Of ducks swimming under water (LOVVORN, JONES AND BLAKE) **159**, 89
Accelerometry:
Used to measure fast-start performance in pike (HARPER AND BLAKE) **155**, 175
Acclimation:
To temperature, effect on carp muscle (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Acclimatization:
Effect on mechanical properties of fish muscle (JOHNSON AND JOHNSTON) **157**, 409
Acetate:
Transport of, by tilapia basolateral membrane (TITUS AND AHEARN) **156**, 41
Acetazolamide:
Effect on proton excretion by the trout gill (LIN AND RANDALL) **161**, 119
Acetylcholine:
Effect on action potentials in leech salivary gland cells (WUTTKE AND BERRY) **157**, 101
Effect on snail buccal muscle (YOSHIDA AND KOBAYASHI) **155**, 415
Effect on swimming frog embryos (PANCHIN, PERRINS AND ROBERTS) **161**, 527
***Achatina fulica*:**
Neural control of buccal muscle movement (YOSHIDA AND KOBAYASHI) **155**, 415
Acid secretion:
By notaspid snails (GILLETTE, SAEKI AND HUANG) **156**, 335
Acidification:
Of water passing over trout gills (LIN AND RANDALL) **161**, 119
Acidosis:
In snails entering aestivation (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Acid–base balance:
In fish after exhaustive exercise (WOOD) **160**, 285
In locust hindgut (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
In muscle of exercised trout (TANG AND BOUTILIER) **156**, 153
Acid–base regulation:
During hypercapnia in trout (IWAMA AND HEISLER) **158**, 1
In an adult salamander (STIFFLER) **157**, 47
In the hagfish (McDONALD, CAVDEK, CALVERT AND MILLIGAN) **161**, 201
In the lamprey after exercise (TUFTS) **159**, 371
In the toad following hypercapnia (SNYDER AND NESTLER) **161**, 415
Acoustic startle:
Habituation of, in flying crickets (MAY AND HOY) **159**, 489
***Acrophylla wulfingii*:**
Function of the retractor unguis muscle (RADNIKOW AND BÄSSLER) **157**, 87
***Actinia equina*:**
Effects of neuropeptides on slow muscles (McFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Neuropeptides that modulate tentacle contraction (McFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Action potential:
In neurosecretory cells in the silkworm (ICHIKAWA) **161**, 217
Of leech salivary gland cells, modulation of (WUTTKE AND BERRY) **157**, 101
Active state:
Of locust flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Adaptation:
Biochemical, of fish muscle (WEBER) **158**, 463
Of motion-sensitive neurones in the butterfly (MADDESS, DUBOIS AND IBBOTSON) **161**, 171
Adenosine:
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509

Adenyl cyclase:
Effect of pressure on signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Adhesion:
Of limpets, role of suction (SMITH) **161**, 151
Of octopus suckers (SMITH) **157**, 257
Of tree frog toe pads (HANNA AND BARNES) **155**, 103
Adrenaline:
Control of release in hypoxic cod (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549
Desensitization of trout red blood cells to (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Effect on CO_2 excretion by trout red blood cells (WOOD AND PERRY) **157**, 349
Effect on metabolism of trout cardiac myocytes (MILLIGAN) **159**, 185
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
β-Adrenoreceptors:
Of rainbow trout erythrocytes (REID, MOON AND PERRY) **158**, 199
Of trout red blood cells, effects of cortisol (REID AND PERRY) **158**, 217
Aerodynamics:
Of butterfly flight (DUDLEY) **159**, 335
Of hanging flight in the kestrel (VIDELER AND GROENEWOLD) **155**, 519
Of vertical flight in the bat (ALDRIDGE) **157**, 183
Aerofoil:
Aerodynamic performance of the *Velella* sail (FRANCIS) **158**, 117
Aestivation:
Of a land snail, intracellular pH (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Afferents:
From locust hindleg tactile hairs, electrophysiology of (NEWLAND) **155**, 487
After-hyperpolarization:
In a leech neurone, effect of serotonin (CATARSI AND BRUNELLI) **155**, 261
Agility:
Of flying bats (THOLLESSON AND NORBERG) **158**, 19
Agnathan:
Petromyzon marinus, skin photosensitivity (RONAN AND BODZNICK) **161**, 97
Agonist:
Of dopamine, in the cockroach (DAVIS AND PITMAN) **155**, 203
***Aiptasia mutabilis*:**
Calcium-induced discharge of nematocysts (SANTORO AND SALLEO) **156**, 173
Air-breathing fish:
Cardioventilatory control in *Amia calva* (McKENZIE, BURLESON AND RANDALL) **161**, 347
Central chemosensitivity in *Amia calva* (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
Air/water interface:
Fast-start performance of rainbow trout (WEBB, SIMS AND SCHULTZ) **155**, 219
***Alligator mississipiensis*:**
Cardiac cycle (SHELTON AND JONES) **158**, 539
Allometry:
Scaling of ventilation rate in mammals (WORTHINGTON, YOUNG AND ALTRINGHAM) **161**, 533
***Amblyomma americanum*:**
Water vapour absorption (SIGAL, MACHIN AND NEEDHAM) **157**, 585
***Ambystoma tigrinum*:**
Acid–base regulation during respiratory acidosis (STIFFLER) **157**, 47
***Amia calva*:**
Cardioventilatory control (McKENZIE, BURLESON AND RANDALL) **161**, 347
Central chemosensitivity (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
Amiloride:
Lack of effect on proton excretion at the trout gill (LIN AND RANDALL) **161**, 119
Amino acids:
Effect of exercise on muscle and plasma concentrations (HENRIKSSON) **160**, 149
Uptake by *Lymantria dispar* midgut (WOLFERSBERGER) **161**, 519
Ammonia:
Excretion of, at the trout gill (LIN AND RANDALL) **161**, 119
Ammonia transport:
In an adult salamander during respiratory acidosis (STIFFLER) **157**, 47
Ammonium:
Role in acid–base regulation in locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Ammonium-selective microelectrodes:
Use and evaluation (MOSER AND MAIR) **157**, 227
Amphibian:
Acid–base regulation in *Bufo marinus* (SNYDER AND NESTLER) **161**, 415
Adhesion and detachment of tree frog toe pads (HANNA AND BARNES) **155**, 103

Energetics of a gait change in toads (ANDERSON, FEDER AND FULL) **158**, 133
Metabolic recovery from exercise (GLEESON) **160**, 187
Amplitude spectrum:
Of a fish electric organ discharge (KRAMER AND OTTO) **159**, 1
Anaerobiosis:
Effect on energy metabolism in *Sipunculus nudus* (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
Effect on the metabolic rate of a marine worm (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143
***Anax junius*:**
Power requirements for flight (MAY) **158**, 325
Angelfish:
Kinematics of the escape response (DOMENICI AND BLAKE) **156**, 187
Anion exchange:
Across tilapia basolateral membrane (TITUS AND AHEARN) **156**, 41
Anoxia:
Effect on goldfish muscle metabolism (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
Antagonist:
Of dopamine, in the cockroach (DAVIS AND PITMAN) **155**, 203
Properties of GABA derivatives on *Ascaris* muscle receptors (DUITTOZ AND MARTIN) **159**, 149
Antarctic nematode:
Cold-tolerance mechanisms (WHARTON AND BROWN) **155**, 629
***Antheraea polyphemus*:**
Olfactory transduction in (ZUFALL, HATT AND KEIL) **161**, 455
***Anthopleura ballii*:**
Effects of neuropeptides on slow muscles (McFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Antho-RFamide:
Modulation of tentacle contraction in sea anemones (McFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Antho-RWamide:
Modulation of tentacle contraction in sea anemones (McFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Anthozoa:
Ionic currents in sea anemone muscle cells (HOLMAN AND ANDERSON) **161**, 333
Antiport:
Of protons by starfish pyloric caeca
Aorta:
Blood flow in the alligator (SHELTON AND JONES) **158**, 539
Structure and mechanical design in the toad (GIBBONS AND SHADWICK) **158**, 255
Apical membrane:
Of toad enterocytes, ion transport by (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
***Apis cerana*:**
Thermoregulation (UNDERWOOD) **157**, 19
***Apis dorsata*:**
Thermoregulation (UNDERWOOD) **157**, 19
***Apis laboriosa*:**
Thermoregulation (UNDERWOOD) **157**, 19
***Apis mellifera*:**
A motion-sensitive visual neurone (IBBOTSON) **157**, 573
Consolidation of the olfactory memory (SMITH) **161**, 367
***Apis mellifera ligustica*:**
Neural control of flight muscle (ESCH AND GOLLER) **159**, 419
***Aplysia californica*:**
Carbonic anhydrase in the gut (GERENCSER) **161**, 515
Receptive fields of mechanoreceptor neurones (DUBUC AND CASTELLUCCI) **156**, 315
Arachnida:
Function of coxal organs (BUTT AND TAYLOR) **158**, 439
Arginine kinase:
In echinoderm muscle (ELLINGTON) **158**, 591
Aristotle's lantern:
Generation of force (ELLERS AND TELFORD) **155**, 585
Arthropod:
Leg design in hexapedal runners (FULL, BLICKHAN AND TING) **158**, 369
Mechanics of a rapid running cockroach (FULL AND TU) **156**, 215
***Ascaris suum*:**
Antagonist properties of GABA derivatives on muscle (DUITTOZ AND MARTIN) **159**, 149
Pharmacology of cholinoreceptors (COLQUHOUN, HOLDEN-DYE AND WALKER) **158**, 509
Aspartate:
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Aspect ratio:
Of the *Velella* sail (FRANCIS) **158**, 117

Assimilation:
Efficiency of, in butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
***Astacus astacus*:**
Effect of GABA on intraneuronal pH (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
pH regulation of the stretch receptor neurone (MOSER AND MAIR) **157**, 227
ATP:
Concentration in the red cells of a neonatal snake (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Level in the red blood cells of a pregnant snake (RAGSDALE AND INGERMANN) **159**, 501
ATPase:
Activity in the gills of land crabs (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
H^+-transporting, on the trout gill epithelium (LIN AND RANDALL) **161**, 119
Vacuolar-type, in insect midgut (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61
Atrial natriuretic peptide:
In trout blood after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Atriopeptin:
Action on fish vascular smooth muscle (EVANS) **157**, 551
Auditory system:
Of an atympanate bushcricket (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307
***Aythya* spp.:**
Mechanics of underwater locomotion (LOVVORN, JONES AND BLAKE) **159**, 89

Barium:
Effect on potassium uptake in lepidopteran midgut (MOFFETT AND KOCH) **157**, 243
Basal metabolism:
Relationship with body mass in mammals (HEUSNER) **160**, 25
Basolateral membrane:
Transport of acetate by, in tilapia (TITUS AND AHEARN) **156**, 41
Bat:
Flight when loaded (HUGHES AND RAYNER) **161**, 285
Moments of inertia of wings and body (THOLLESSON AND NORBERG) **158**, 19
Vertical flight (ALDRIDGE) **157**, 183
Beating:
Of sea urchin flagella (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
Bee:
Neural control of flight muscle (ESCH AND GOLLER) **159**, 419
Beetle:
Colorado, host recognition by (SPERLING AND MITCHELL) **157**, 439
Desert, routes of transpiratory water loss (ZACHARIASSEN) **157**, 425
Behaviour:
Acid secretion by notaspid snails (GILLETTE, SAEKI AND HUANG) **156**, 335
Backward swimming in *Paramecium* (BERNAL, KELSEY AND EHRLICH) **155**, 505
Centrally generated responses in frog embryos (SOFFE) **156**, 81
Coordination of withdrawal in a snail (SYED AND WINLOW) **158**, 37
Disruptive illumination by leiognathids (McFALL-NGAI AND MORIN) **156**, 119
Effect of hypoxia on the preferred temperature of rainbow trout (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
Effect of the procedures of the doubly labelled water technique in mice (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Escape response of the lobster (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Flight in adult crickets (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661
Gustatory, of *Drosophila* mutants (BALAKRISHNAN AND RODRIGUES) **157**, 161
Motor control of snail withdrawal (FERGUSON AND BENJAMIN) **158**, 63
Orientation to a visually fixated target by Colorado beetles (LÖNNENDONKER) **158**, 149
Prey capture by a chameleon (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Prey capture by a frog (NISHIKAWA AND ROTH) **159**, 217
Sensory activation of withdrawal in a snail (FERGUSON AND BENJAMIN) **158**, 97
Thermal regulation of hypoxic toads (WOOD AND MALVIN) **159**, 203
Bicarbonate:
Buffering role in locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Dehydration of, in trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367; (WOOD AND PERRY) **157**, 349
Permeability to, of the crayfish stretch-receptor neurone (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349

Bioluminescence:
Disruptive illumination by leiognathids (McFALL-NGAI AND MORIN) **156**, 119
Biomechanics:
Of butterfly flight (DUDLEY) **159**, 335
Of the feeding mechanism of *Epibulus insidiator* (WESTNEAT) **159**, 165
Toe-pad adhesion in tree frogs
Bird:
Cooling power of pigeon wings (CRAIG AND LAROCHELLE) **155**, 193
Magnetic orientation of migratory wheatears (SANDBERG, OTTOSSON AND PETTERSSON) **155**, 51
Respiratory and cardiovascular adjustments during flying, running and diving (BUTLER) **160**, 233
***Birgus latro*:**
Urine reprocessing by (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
***Blaberus discoidalis*:**
Mechanics of running (FULL, BLICKHAN AND TING) **158**, 369
Blood:
Oxygen affinity of, from a pregnant snake (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Blood flow:
Gastrointestinal, in cod (AXELSSON AND FRITSCHE) **158**, 181
In cod gut, effects of substance P and VIP (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Blood gas transport:
In the lamprey after exercise (TUFTS) **159**, 371
Blood pressure:
In the alligator cardiac cycle (SHELTON AND JONES) **158**, 539
Blood sampling:
Effect on the behaviour and metabolism of mice (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Blood shunt:
In the alligator (SHELTON AND JONES) **158**, 539
Body mass:
Relationship with power in mammals (HEUSNER) **160**, 25
Body size:
Effect on the mechanics of underwater swimming in ducks (LOVVORN, JONES AND BLAKE) **159**, 89
Relationship with power in mammals (HEUSNER) **160**, 25
Body temperature:
In marine invertebrates living in hydrothermal vents (DAHLHOFF AND SOMERO) **159**, 473
Body tilt:
Coordinated responses to, in the lobster (KNOX AND NEIL) **155**, 605
***Bombus impatiens*:**
Neural control of flight muscle (ESCH AND GOLLER) **159**, 419
***Bombyx mori*:**
The cerebral neurosecretory cell system (ICHIKAWA) **161**, 217
Brachiopod:
Hydrodynamics of rapid shell closure (ACKERLY) **156**, 287
Brain:
Effect of pressure on signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Branchial chamber:
Role in urine reprocessing in the land crab (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
Branchiostegal nerve:
Role in the regulation of crab haemocoel pressure (RAJASHEKHAR AND WILKENS) **155**, 147
Branchiostegal sinus:
Role in the regulation of crab haemocoel pressure (RAJASHEKHAR AND WILKENS) **155**, 147
Breathing:
Work of, in the horse (LAFORTUNA AND SAIBENE) **155**, 245
Brush-border membrane vesicles:
From starfish, proline transport by (AHEARN AND BEHNKE) **158**, 477
From starfish pyloric caeca, Na^+/H^+ exchange (AHEARN AND FRANCO) **158**, 495
Uptake of phenylalanine by (WOLFERSBERGER) **161**, 519
Buccal muscle:
Neural control of, in a snail (YOSHIDA AND KOBAYASHI) **155**, 415
Buccal neurone B1:
Role in modulation of slug heart activity (WELSFORD AND PRIOR) **155**, 1
Buffering capacity:
Of toad tissue (SNYDER AND NESTLER) **161**, 415
***Bufo marinus*:**
Acid–base regulation (SNYDER AND NESTLER) **161**, 415
Behavioural hypothermia in hypoxia (WOOD AND MALVIN) **159**, 203

Circulatory mechanics (GIBBONS AND SHADWICK) **158**, 255, 291

***Bufo woodhousii fowleri*:**
Energetics of a gait change (ANDERSON, FEDER AND FULL) **158**, 133

Buoyancy:
Of ducks swimming under water (LOVVORN, JONES AND BLAKE) **159**, 89

Burst speed:
Patterns of evolution (BENNETT) **160**, 1

Bush-cricket:
The auditory system of *Phasmodes ranatriformes* (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307
Transmission of calls (STEPHEN AND HARTLEY) **155**, 227

***Busycon canaliculatum*:**
Glycolytic enzyme binding during anoxia (BROOKS AND STOREY) **156**, 467

Butterfly:
Feeding, energy processing rates and egg production (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Flight aerodynamics (DUDLEY) **159**, 335
Inachis io, vortex formation during tethered flight (BRODSKY) **161**, 77
Integration of colour signals in the medulla (ICHIKAWA) **155**, 127
Properties of motion-sensitive neurones (MADDESS, DUBOIS AND IBBOTSON) **161**, 171

Calcification:
Of a coral skeleton (IP AND LIM) **159**, 507

Calcium:
Accumulation of, in *Rhodnius* Malpighian tubules (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483
Effect on excitability of leech ganglion cells (SCHIRRMACHER AND DEITMER) **155**, 435
Effect on oral regeneration in *Stentor* (MALONEY, WALSH AND RHOADARMER) **161**, 135
In the developing carp embryo (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431
Modulation of postsynaptic influx into a snail neurone (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Role in the discharge of nematocysts (SANTORO AND SALLEO) **156**, 173
Transport across the toad colon (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Transport of, in a coral (IP AND LIM) **159**, 507
Uptake by muskrat and guinea pig mitochondria (MCKEAN) **157**, 133

Calcium channel:
In crayfish muscle, seasonally variable activity (BISHOP, KROUSE AND WINE) **156**, 607
In *Paramecium*, modulation of (BERNAL, KELSEY AND EHRLICH) **155**, 505

Calcium current:
In a mollusc muscle (DORSETT AND EVANS) **155**, 305
In sea anemone muscle cells (HOLMAN AND ANDERSON) **161**, 333

Calcium imaging:
Used to demonstrate Ca^{2+} channels in cultured insect neurones (HOWES, CHEEK AND SMITH) **156**, 591

***Calliactis parasitica*:**
Effects of neuropeptides on slow muscles (MCFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419

***Calliactis tricolor*:**
Ionic currents in isolated muscle cells (HOLMAN AND ANDERSON) **161**, 333

Calmodulin:
Effect on oral regeneration in *Stentor* (MALONEY, WALSH AND RHOADARMER) **161**, 135

Calorimetry:
Used to determine metabolic rate of a marine worm (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143

Camouflage:
Of leiognathids, by counterillumination (MCFALL-NGAI AND MORIN) **156**, 119

Capillary network:
In mammalian muscle (HOPPELER AND BILLETER) **160**, 263

***Carassius auratus*:**
Acidosis in anoxia (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
Mauthner-initiated escape response (EATON AND EMBERLEY) **161**, 469

***Carausius morosus*:**
Effect of load on step coordination (DEAN) **159**, 449
Function of the retractor unguis muscle (RADNIKOW AND BÄSSLER) **157**, 87
Gain control in a proprioceptive reflex (KITTMANN) **157**, 503

Carbon dioxide:
Excretion by trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Excretion of, at the trout gill (LIN AND RANDALL) **161**, 119
In vitro assay for excretion by trout red blood cells (WOOD AND PERRY) **157**, 349
Production of, by octopus heart *in vitro* (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543
Carbonic anhydrase:
Distribution of, in dogfish uterus (FLÜGEL AND LÜTJEN-DRECOLL) **158**, 531
In *Aplysia* gut (GERENCSER) **161**, 515
***Carcinus maenas*:**
Control of haemocoel pressure (RAJASHEKHAR AND WILKENS) **155**, 147
Oxygen affinity of haemocyanin (BURNETT AND MANGUM) **155**, 675
Cardiac cycle:
Of the alligator (SHELTON AND JONES) **158**, 539
Cardiac function:
In trout, measurement of (DE VERA AND PRIEDE) **156**, 611
Cardiac muscle:
Utilization of lactate in trout (MILLIGAN AND WOOD) **155**, 357
Cardiac myocytes:
Substrate utilization by (MILLIGAN) **159**, 185
Cardiovascular response:
To exercise, control of (TURNER) **160**, 309
Cardiovascular system:
Ontogeny of, in the skate (PELSTER AND BEMIS) **156**, 387
***Caretta caretta*:**
Magnetic orientation by hatchlings (LOHMANN) **155**, 37
Carp:
Effect of temperature acclimation (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Effect of vagal input on the breathing rhythm (DE GRAAF AND ROBERTS) **155**, 77
Gill oscillation and the respiratory rhythm (DE GRAAF AND ROBERTS) **155**, 93
Importance of magnesium for embryonic development (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431
Substrate utilization by erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Catecholamines:
Desensitization of trout red blood cells to (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Dopamine as a neuroactive substance in the jellyfish (CHUNG AND SPENCER) **156**, 433
Effect on β-adrenoreceptors of trout erythrocytes (REID, MOON AND PERRY) **158**, 199
Effect on CO_2 excretion by trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Effect on trout erythrocyte β-adrenoreceptors (REID AND PERRY) **158**, 217
Effect on ventilation in an air-breathing fish (McKENZIE, BURLESON AND RANDALL) **161**, 347
Role in fish exercised exhaustively (WOOD) **160**, 285
Cation channel:
Calcium-activated, in silkmoth olfactory receptor neurones (ZUFALL, HATT AND KEIL) **161**, 455
In toad large intestinal enterocytes (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Cavitation:
Effect on generation of negative pressure by octopus suckers (SMITH) **157**, 257
Centipede:
Urine formation by *Lithobius forficatus* (WENNING, GREISINGER AND PROUX) **158**, 165
Central nervous system:
Of the opossum, development in culture (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
Role in the cardiorespiratory response to exercise (TURNER) **160**, 309
Central pattern generator:
For swimming, in frog embryos (PANCHIN, PERRINS AND ROBERTS) **161**, 527
Cephalopod:
Efficiency of jet propulsion (O'DOR AND WEBBER) **160**, 93
***Cercopithecus aethiops*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Cercopithecus cephus*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Cercopithecus diana*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Cercopithecus petaurista*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1

***Cercopithecus talapoin*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Chamaeleo oustaleti*:**
Kinematics of tongue projection (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Chameleon:
Kinematics of tongue projection (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Chemoreception:
By *Drosophila*, mutations affecting neuronal properties (BALAKRISHNAN AND RODRIGUES) **157**, 161
In a grasshopper (CHAPMAN, ASCOLI-CHRISTENSEN AND WHITE) **158**, 241
Olfactory sampling in flounders (NEVITT) **157**, 1
Chemoreceptor:
For oxygen, in the gill of an air-breathing fish (McKENZIE, BURLESON AND RANDALL) **161**, 347
In an air-breathing fish (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
Chloride:
Level in trout blood after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Chloride transport:
In an adult salamander during respiratory acidosis (STIFFLER) **157**, 47
Cholinoreceptors:
Of *Ascaris suum*, pharmacology (COLQUHOUN, HOLDEN-DYE AND WALKER) **158**, 509
Chondrophora:
Aerodynamic performance of the *Velella* sail (FRANCIS) **158**, 117
***Chorthippus biguttulus*:**
Auditory interneurones (STUMPNER AND RONACHER) **158**, 391
Processing of temporal song patterns (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Chromaffin tissue:
In the head kidney of cod (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549
Cicada:
Evaporative cooling (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Ciliary activity:
In the epaulette of echinoplutei (MOGAMI, FUJIMA AND BABA) **155**, 65
Ciliate:
Voltage-coupled ciliary activity in *Stylonychia* (MOGAMI AND MACHEMER) **161**, 239
Circulation:
Neural control of, in the locust (BRÄUNIG) **156**, 567
Circulatory system:
Of the toad (GIBBONS AND SHADWICK) **158**, 255, 291
Cirral movement:
In *Stylonychia mytilus* (MOGAMI AND MACHEMER) **161**, 239
Climbing:
Adhesion and detachment of tree frog toe pads (HANNA AND BARNES) **155**, 103
***Clione limacina*:**
Electrophysiology of swimming muscle (SATTERLIE) **159**, 285
Clutch mass:
In different lizard populations (SINERVO, HEDGES AND ADOLPH) **155**, 323
***Clypeaster rosaceus*:**
Force generation by the jaws (ELLERS AND TELFORD) **155**, 585
Clypeasteroida:
Forces generated by the jaws of *Clypeaster rosaceus* (ELLERS AND TELFORD) **155**, 585
Cnidarian neurones:
Dopamine content (CHUNG AND SPENCER) **156**, 433
Cockroach:
Effect of leg amputation on leg coordination (DELCOMYN) **156**, 483, 503
Growth in culture of adult neurones (HOWES, CHEEK AND SMITH) **156**, 591
Mechanics of rapid running (FULL AND TU) **156**, 215
Mechanics of running in *Blaberus discoidalis* (FULL, BLICKHAN AND TING) **158**, 369
Neurotransmitter content of salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Pharmacology of dopamine receptors (DAVIS AND PITMAN) **155**, 203
Spiracular and cuticular water loss (MACHIN, KESTLER AND LAMPERT) **161**, 439
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
Cod:
Catecholamine release during hypoxia (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549

Energetics and power output of isolated muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Gastrointestinal blood flow (AXELSSON AND FRITSCHE) **158**, 181
Coding:
Gustatory, host recognition by the Colorado beetle (SPERLING AND MITCHELL) **157**, 439
Coherence:
Of the bush-cricket call (STEPHEN AND HARTLEY) **155**, 227
Cold tolerance:
Of an antarctic nematode (WHARTON AND BROWN) **155**, 629
Colon:
Of the toad, ion transport (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Colorado beetle:
Dynamic fixation behaviour (LÖNNENDONKER) **158**, 149
Host recognition and sense of taste (SPERLING AND MITCHELL) **157**, 439
Colour vision:
In a butterfly larva (ICHIKAWA) **155**, 127
Monkey retinal pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Coluber constrictor*:**
Kinematics of concertina locomotion (JAYNE AND DAVIS) **156**, 539
***Columba livia*:**
Cooling power of the wings (CRAIG AND LAROCHELLE) **155**, 193
Homing performance at the magnetic equator (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299
Role of olfaction in navigation (WALDVOGEL AND PHILLIPS) **155**, 643
Communication:
Acoustic, between grasshoppers (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Responses of elephants to low-frequency conspecific calls (LANGBAUER, PAYNE, CHARIF, RAPAPORT AND OSBORN) **157**, 35
Conditioning:
Of proboscis extension in the honeybee (SMITH) **161**, 367
Contraction:
Economy of, in isolated cod muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Cooling:
In a desert cicada (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Coordination:
Of legs in a walking cockroach (DELCOMYN) **156**, 483, 503
Of locomotor and cardiorespiratory networks in a snail (SYED AND WINLOW) **158**, 37
Of stepping in walking stick insects (DEAN) **159**, 449
Coral:
Transport of calcium and strontium (IP AND LIM) **159**, 507
Coronary supply:
To octopus heart (AGNISOLA AND HOULIHAN) **157**, 523
Corpora cardiaca:
Innervation of, in the locust (BRÄUNIG) **156**, 567
Cortisol:
Effect on trout red blood cell β-adrenoreceptors (REID AND PERRY) **158**, 217
Cost of transport:
For ducks swimming under water (LOVVORN, JONES AND BLAKE) **159**, 89
Jet propulsion by invertebrates (O'DOR AND WEBBER) **160**, 93
Patterns of evolution in animals (BENNETT) **160**, 1
Cotransport:
Of potassium and phenylalanine in insect midgut (WOLFERSBERGER) **161**, 519
Counterillumination:
By leiognathids, as camouflage (McFALL-NGAI AND MORIN) **156**, 119
Course control:
In a cricket (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Coxal organs:
Function of, in spider (BUTT AND TAYLOR) **158**, 439
Crab:
Haemocoelic pressure regulation (RAJASHEKHAR AND WILKENS) **155**, 147
Oxygen affinity of haemocyanin (BURNETT AND MANGUM) **155**, 675
Crayfish:
Distribution of FMRFamide-like immunoreactivity (MERCIER, ORCHARD AND TeBRUGGE) **156**, 519
Effect of GABA on intraneuronal pH (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
Hormonal regulation of the swimmeret system (SHERFF AND MULLONEY) **155**, 21
pH regulation of the stretch receptor neurone (MOSER AND MAIR) **157**, 227

Seasonally variable Ca^{2+} channel activity in muscle (BISHOP, KROUSE AND WINE) **156**, 607
Swimmeret rhythm in the isolated nervous system (BARTHE, BÉVENGUT AND CLARAC) **157**, 205

Creatine kinase:
In echinoderm muscle (ELLINGTON) **158**, 591

Cricket:
Degeneration of the flight muscle (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661
Habituation of acoustic startle during flight (MAY AND HOY) **159**, 489
Visual and acoustic course control (BÖHM, SCHILDBERGER AND HUBER) **159**, 235

Crop emptying:
In butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249

***Crotalus viridis oreganus*:**
Effect of pregnancy on red blood cell oxygen-affinity (RAGSDALE AND INGERMANN) **159**, 501

Crustacea:
FMRFamide-like immunoreactivity in the crayfish nervous system (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519

C-start:
In the escape response of angelfish (DOMENICI AND BLAKE) **156**, 187

Culture:
Of adult insect neurones (HOWES, CHEEK AND SMITH) **156**, 591
Of the isolated central nervous system from an opossum (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25

Cuticle:
Permeability to water, in a cockroach (MACHIN, KESTLER AND LAMPERT) **161**, 439

Cuticular permeability:
Of a desert beetle (ZACHARIASSEN) **157**, 425

Cyclic AMP:
Inhibits proton flux across locust rectum (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Role in the octopaminergic modulation of locust flight muscle (WHIM AND EVANS) **161**, 423

Cyclic GMP:
Effect on cation channels in silkmoth olfactory receptor neurones (ZUFALL, HATT AND KEIL) **161**, 455

Cyclic nucleotides:
Effect on action potentials in leech salivary gland cells (WUTTKE AND BERRY) **157**, 101

***Cyprinus carpio*:**
Effect of temperature acclimation on muscle (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Effect of vagal input on the breathing rhythm (DE GRAAF AND ROBERTS) **155**, 77
Gill oscillation and the respiratory rhythm (DE GRAAF AND ROBERTS) **155**, 93
Importance of magnesium for embryonic development (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431
Substrate utilization by erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509

Dead reckoning:
Used to measure penguin movements (WILSON, WILSON, LINK, MEMPEL AND ADAMS) **157**, 557

Deep-sea fish:
Effect of pressure on adenosine receptor signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23

Defence mechanism:
Of notaspid snails (GILLETTE, SAEKI AND HUANG) **156**, 335

Degeneration:
Selective, of cricket flight muscle (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661

Denervation:
Branchial, effect on cardioventilatory control in an air-breathing fish (McKENZIE, BURLESON AND RANDALL) **161**, 347
Effect on tongue protraction in a frog (NISHIKAWA AND ROTH) **159**, 217

Density gradient centrifugation:
Used to separate different classes of toadfish hepatocytes (MOMMSEN AND WALSH) **156**, 407

Deposit excretion:
Of calcium, in *Rhodnius* Malpighian tubules (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483

Desert beetle:
Routes of transpiratory water loss (ZACHARIASSEN) **157**, 425

Detachment:
Of tree frog toe pads (HANNA AND BARNES) **155**, 103

Deterrence:
Sensory coding for feeding in a grasshopper (CHAPMAN, ASCOLI-CHRISTENSEN AND WHITE) **158**, 241
Development:
Of the opossum central nervous system in culture (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
Diapause:
Water balance in fleshfly pupae (YODER AND DENLINGER) **157**, 273
Diaphragm:
Scaling effects in mammals (ALTRINGHAM AND YOUNG) **157**, 381
***Diceroprocta apache*:**
Evaporative cooling (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Digestion:
In butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Direction selectivity:
Of butterfly motion-sensitive neurones (MADDESS, DUBOIS AND IBBOTSON) **161**, 171
Discharge:
Of *Aiptasia mutabilis* nematocysts (SANTORO AND SALLEO) **156**, 173
***Discoglossus pictus*:**
Mechanism of tongue protraction (NISHIKAWA AND ROTH) **159**, 217
Dishabituation:
Of acoustic startle in flying crickets (MAY AND HOY) **159**, 489
Display:
Energetics of, in the flappet lark (NORBERG) **159**, 515
Diuretic hormones:
In an insect (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Diving:
Mechanics of underwater locomotion in ducks (LOVVORN, JONES AND BLAKE) **159**, 89
Respiratory and cardiovascular adjustments in birds (BUTLER) **160**, 233
Dogfish:
Action of rat atriopeptin on vascular smooth muscle (EVANS) **157**, 551
Distribution of carbonic anhydrase in uterus (FLÜGEL AND LÜTJEN-DRECOLL) **158**, 531
Muscle efficiency (CURTIN AND WOLEDGE) **158**, 343
Dopamine:
In locust and cockroach salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Neuroactivity in the jellyfish (CHUNG AND SPENCER) **156**, 433
Receptors for, in the cockroach (DAVIS AND PITMAN) **155**, 203
Dormancy:
Intracellular pH in aestivating snails (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Dorsoventral muscle:
Role in the regulation of crab haemocoel pressure (RAJASHEKHAR AND WILKENS) **155**, 147
Double-focal vidoemicroscopy:
Used to analyse the dynamics of cell motility (HAMAGUCHI, ISHIJIMA, HAMAGUCHI AND HIRAMOTO) **161**, 537
Drag:
In swimming instrumented penguins (CULIK AND WILSON) **158**, 355
Of ducks swimming under water (LOVVORN, JONES AND BLAKE) **159**, 89
Of the *Velella* sail (FRANCIS) **158**, 117
On flying dragonflies (MAY) **158**, 325
Dragonfly:
Flight muscle mechanics (PECKHAM AND WHITE) **159**, 135
Power requirements for flight (MAY) **158**, 325
***Drosophila melanogaster*:**
Genes specifying elements of the gustatory pathway (BALAKRISHNAN AND RODRIGUES) **157**, 161
DUM neurone:
Subsets revealed by staining (SIEGLER, MANLEY AND THOMPSON) **157**, 565
Dynamics:
Of fast running in the cockroach (FULL AND TU) **156**, 215
Of fixation behaviour in walking Colorado beetles (LÖNNENDONKER) **158**, 149

Echinoderm:
Muscle phosphagens in a sea urchin (ELLINGTON) **158**, 591
Na^+/H^+ exchange by starfish pyloric caecal membrane (AHEARN AND FRANCO) **158**, 495
Proline transport by starfish pyloric caeca (AHEARN AND BEHNKE) **158**, 477
Echinopluteus:
Ciliary activity in the epaulette (MOGAMI, FUJIMA AND BABA) **155**, 65

Efficiency:
Of energy conversion by dogfish muscle (CURTIN AND WOLEDGE) **158**, 343
Egg:
Of carp, importance of magnesium for development (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431
Egg production:
In butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
***Eigenmannia lineata*:**
Electrosensory frequency and intensity discrimination (KRAMER AND KAUNZINGER) **161**, 43
Waveform discrimination by (KRAMER AND OTTO) **159**, 1
Elasticity:
Of toad arteries (GIBBONS AND SHADWICK) **158**, 255, 291
Electric organ discharge:
Of *Eigenmannia*, sensory discrimination (KRAMER AND KAUNZINGER) **161**, 43
Electrical activity:
In the cultured central nervous system of an opossum (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
Electrical coupling:
Of identified snail interneurones (SYED AND WINLOW) **158**, 37
Electrochemical gradient:
Across the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Electroreception:
Waveform discrimination by *Eigenmannia* (KRAMER AND OTTO) **159**, 1
Electrosensory discrimination:
In a wave-type electric fish (KRAMER AND KAUNZINGER) **161**, 43
Elephant:
Responses to low-frequency conspecific calls (LANGBAUER, PAYNE, CHARIF, RAPAPORT AND OSBORN) **157**, 35
Embryo:
Development of swimming movements in frog (SOFFE) **156**, 81; (SOFFE AND SILLAR) **156**, 101
Of carp, importance of magnesium for development (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431
Endothermy:
In animal species (BENNETT) **160**, 1
Endurance:
Of a toad using different gaits (ANDERSON, FEDER AND FULL) **158**, 133
Of animal species (BENNETT) **160**, 1
Endurance exercise:
Effect on muscle protein turnover (GOLDSPINK) **160**, 127
Energetics:
Comparative, during running, swimming and flying (JOHNSTON) **160**, 167
Energy-saving mechanisms in walking and running (ALEXANDER) **160**, 55
Of a gait change in a toad (ANDERSON, FEDER AND FULL) **158**, 133
Of display in the flappet lark (NORBERG) **159**, 515
Of fast running in the cockroach (FULL AND TU) **156**, 215
Of isolated cod muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Of mammalian terrestrial locomotion (BAUDINETTE) **160**, 208
Of vertical flight in the bat (ALDRIDGE) **157**, 183
Energy:
Processing rate and storage in butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Requirements of instrumented swimming penguins (CULIK AND WILSON) **158**, 355
Energy consumption:
In flying, running and swimming birds (BUTLER) **160**, 233
Energy expenditure:
Measurement of, using the doubly labelled water technique (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Energy metabolism:
In lizards (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
In *Sipunculus nudus* (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
Of octopus heart *in vitro* (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543
Entrainment:
Of the respiratory rhythm in carp (DE GRAAF AND ROBERTS) **155**, 77, 93
Enzyme activities:
In sea raven erythrocytes (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Enzyme activity:
In octopus heart *in vitro* (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543

Enzymes:
In toadfish hepatocytes (MOMMSEN AND WALSH) **156**, 407
Epaulette:
Ciliary activity of, in echinoplutei (MOGAMI, FUJIMA AND BABA) **155**, 65
***Epibulus insidiator*:**
Biomechanics of feeding (WESTNEAT) **159**, 165
***Epitheca cynosura*:**
Power requirements for flight (MAY) **158**, 325
Epithelium:
Of starfish pyloric caeca, Na^+/H^+ exchange (AHEARN AND FRANCO) **158**, 495
Of starfish pyloric caeca, transport of proline by (AHEARN AND BEHNKE) **158**, 477
Of teleost intestine, contains a basolateral K^+ channel (LORETZ AND FOURTNER) **159**, 45
***Epomorphorus anurus*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
***Eptatretus cirrhatus*:**
Effect of hypoxia on heart function (FORSTER) **156**, 583
***Eptesicus nilssoni*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
Equilibrium:
Maintenance of, in the lobster (KNOX AND NEIL) **155**, 605
***Equus caballus*:**
Mechanics of breathing (LAFORTUNA AND SAIBENE) **155**, 245
***Erythrocebus patas*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
Erythrocyte:
K^+/Cl^- cotransport (KIRK) **159**, 325
Metabolism of, in sea raven (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Of lamprey, pathway for K^+ transport (KIRK) **159**, 303
Of rainbow trout, β-adrenoreceptors (REID, MOON AND PERRY) **158**, 199
Of rainbow trout, ion exchange and metabolism (TUFTS AND BOUTILIER) **156**, 139
Of trout, effect of cortisol on β-adrenoreceptors (REID AND PERRY) **158**, 217
Physiology of, in a neonatal snake (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Substrate utilization in carp (TIIHONEN AND NIKINMAA) **161**, 509
Escape behaviour:
Of the lobster (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Escape response:
Neuroethology of, in the goldfish (EATON AND EMBERLEY) **161**, 469
***Esox lucius*:**
Fast-start performance (HARPER AND BLAKE) **155**, 175
Evaporative cooling:
In a cicada (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Evolution:
Of the auditory system of tettigoniids (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307
Excitability:
Of cultured leech ganglion cells (SCHIRRMACHER AND DEITMER) **155**, 435
Excretion:
Of carbon dioxide, by trout red blood cells (WOOD AND PERRY) **157**, 349
Of CO_2, adrenergic inhibition of, in trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Role of the spider coxal organ (BUTT AND TAYLOR) **158**, 439
Exercise:
Comparative aspects of muscle action (JOHNSTON) **160**, 167
Control of cardiorespiratory responses (TURNER) **160**, 309
Effect on acid–base regulation in the lamprey (TUFTS) **159**, 371
Effect on gastrointestinal blood flow in cod (AXELSSON AND FRITSCHE) **158**, 181
Effect on lactate metabolism of trout (WEBER) **158**, 463
Effect on muscle and plasma amino acid concentrations (HENRIKSSON) **160**, 149
Effect on trout muscle acid–base and lactate status (TANG AND BOUTILIER) **156**, 153
Effects on the mechanics of breathing in the horse (LAFORTUNA AND SAIBENE) **155**, 245
Exhaustive, effects on fish metabolism (WOOD) **160**, 285
In fish, effect of environmental factors (RANDALL AND BRAUNER) **160**, 113
Role of blood glucose in restoring muscle glycogen (PAGNOTTA AND MILLIGAN) **161**, 489

Facilitation:
Of spike-like responses in mollusc swimming muscle (SATTERLIE) **159**, 285
***Falco tinnunculus*:**
Aerodynamics of hanging flight (VIDELER AND GROENEWOLD) **155**, 519
Fast muscle fibre:
Of cod, energetics and power output (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Fast-start:
By *Esox lucius* (HARPER AND BLAKE) **155**, 175
By trout, at the air/water interface (WEBB, SIMS AND SCHULTZ) **155**, 219
Of rainbow trout (COVELL, SMITH, HARPER AND BLAKE) **156**, 453
Fatty acids:
Metabolism in exercising mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Feedback:
In a proprioceptive reflex in the stick insect (KITTMANN) **157**, 503
Feeding:
Biomechanics of, in *Epibulus insidiator* (WESTNEAT) **159**, 165
Effect on gastrointestinal blood flow in cod (AXELSSON AND FRITSCHE) **158**, 181
Effect on spider coxal organ (BUTT AND TAYLOR) **158**, 439
Frequency of, in butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Host recognition by the Colorado beetle (SPERLING AND MITCHELL) **157**, 439
Motor programme in a slug (WELSFORD AND PRIOR) **155**, 1
Timing of rhythms in a snail (ELLIOTT AND ANDREW) **157**, 391
Tongue projection by a chameleon (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Tongue protraction in a frog (NISHIKAWA AND ROTH) **159**, 217
Fibre types:
In mammalian striated muscle (GOLDSPINK) **160**, 127
Filtering:
Of song patterns by auditory interneurones in a grasshopper (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Firefly:
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
Fish:
Effect of environmental factors on exercise (RANDALL AND BRAUNER) **160**, 113
Effects of exhaustive exercise (WOOD) **160**, 285
Fixation behaviour:
Of walking Colorado beetles (LÖNNENDONKER) **158**, 149
Flagellum:
Beating of, in the sea urchin (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
Flappet lark:
Wing-clap display flight (NORBERG) **159**, 515
Fleshfly:
Water vapour absorption by diapausing pupae (YODER AND DENLINGER) **157**, 273
Flight:
Aerodynamics of, in butterflies (DUDLEY) **159**, 335
Comparative aspects of muscle action (JOHNSTON) **160**, 167
Cooling power of pigeon wings (CRAIG AND LAROCHELLE) **155**, 193
Degeneration of muscle in crickets (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661
Habituation of acoustic startle in crickets (MAY AND HOY) **159**, 489
Hanging, in the kestrel (VIDELER AND GROENEWOLD) **155**, 519
Kinematics of, in the flappet lark (NORBERG) **159**, 515
Motor pattern for, in locust abdominal segments (KUTSCH, NEUBAUER AND KRÄMER) **156**, 629
Of a butterfly, vortex formation (BRODSKY) **161**, 77
Of bats when loaded (HUGHES AND RAYNER) **161**, 285
Optomotor control of, in locusts (PREISS AND GEWECKE) **157**, 461
Performance limitations (ELLINGTON) **160**, 71
Plasticity in the motor system of the locust (BÜSCHGES AND PEARSON) **157**, 313
Power requirements of dragonflies (MAY) **158**, 325
Respiratory and cardiovascular adjustments of birds (BUTLER) **160**, 233
Vertical, in the bat (ALDRIDGE) **157**, 183
Flight muscle:
Degeneration of, in crickets (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661

Mechanics of, in the dragonfly (PECKHAM AND WHITE) **159**, 135
Neural control of, in bees (ESCH AND GOLLER) **159**, 419
Of the locust, action of octopamine (WHIM AND EVANS) **161**, 423
Of the locust, force–velocity relationships (MALAMUD AND JOSEPHSON) **159**, 65
Flounder:
Olfactory sampling (NEVITT) **157**, 1
Flow:
Of blood, during the alligator cardiac cycle (SHELTON AND JONES) **158**, 539
Flow-field:
Detection of, by a honeybee motion-sensitive neurone (IBBOTSON) **157**, 573
Flutter phase:
In the ventilation of desert beetles (LIGHTON) **159**, 249
FMRFamide:
Distribution in the crayfish nervous system (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519
Modulates calcium influx into a snail neurone (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Foraging:
Optimal, in butterflies (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Force:
Measurement of, in Aristotle's lantern (ELLERS AND TELFORD) **155**, 585
Force–velocity relationship:
In locust flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Of carp muscle, effect of temperature (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Freezing tolerance:
Of an antarctic nematode (WHARTON AND BROWN) **155**, 629
Frequency:
Discrimination of, by *Eigenmannia* (KRAMER AND KAUNZINGER) **161**, 43
Frog:
Adhesion and detachment of toe pads (HANNA AND BARNES) **155**, 103
Centrally generated behavioural responses (SOFFE) **156**, 81
Prey capture by *Discoglossus pictus* (NISHIKAWA AND ROTH) **159**, 217
Functional morphology:
Of a brachiopod shell (ACKERLY) **156**, 287
GABA:
Effect on intraneuronal pH in the crayfish (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
GABA derivatives:
Effect on *Ascaris* muscle receptors (DUITTOZ AND MARTIN) **159**, 149
GABA receptors:
In the cultured central nervous system of an opossum (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
***Gadus morhua*:**
Catecholamine release during hypoxia (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549
Effect of substance P and VIP on gut blood flow (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Energetics and power output of isolated muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Factors affecting secretion of gas into the swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Gastrointestinal blood flow (AXELSSON AND FRITSCHE) **158**, 181
Gain control:
In the femur–tibia feedback system of the stick insect (KITTMANN) **157**, 503
***Galaxea fascicularis*:**
Transport of calcium and strontium (IP AND LIM) **159**, 507
γ-Aminobutyric acid:
Action on locust flight motor neurones (DUBAS) **155**, 337
Effect on intraneuronal pH in the crayfish (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
Ganglion cells:
Cultured from leech, excitability of (SCHIRRMACHER AND DEITMER) **155**, 435
Garter snake:
Changes in red cell physiology after birth (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Gas secretion:
Into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
***Gazza minutus*:**
Camouflage by disruptive illumination (McFALL-NGAI AND MORIN) **156**, 119
Generalization:
Of stimuli, in the olfactory memory of the honeybee (SMITH) **161**, 367

Gill:
Of an air-breathing fish, chemoreceptors for oxygen (McKENZIE, BURLESON AND RANDALL) **161**, 347
Of land crabs, role in ion regulation (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
Of rainbow trout, proton excretion (LIN AND RANDALL) **161**, 119
Role in acid–base regulation in hagfish (McDONALD, CAVDEK, CALVERT AND MILLIGAN) **161**, 201
Gill arch:
Oscillation of, effect on respiratory rhythm (DE GRAAF AND ROBERTS) **155**, 93
***Gillichthys mirabilis*:**
Identification of a K^+ channel in intestinal epithelium (LORETZ AND FOURTNER) **159**, 45
Glomerular filtration:
In freshwater trout (CURTIS AND WOOD) **155**, 567
Gluconeogenesis:
In amphibians and reptiles after exercise (GLEESON) **160**, 187
In toadfish hepatocytes (MOMMSEN AND WALSH) **156**, 407
Glucose:
Metabolism in exercising mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Metabolism of, by carp erthrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Metabolism of, in trout red blood cells (FERGUSON AND STOREY) **155**, 469
Role in the restoration of muscle glycogen in exercised trout (PAGNOTTA AND MILLIGAN) **161**, 489
Utilization of, by sea raven erythrocytes (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Glutamate:
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Glutamate receptor:
On squid giant axon Schwann cells (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593
Glutamine:
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Glutamine synthetase:
In toadfish hepatocytes (MOMMSEN AND WALSH) **156**, 407
Glycogen:
Depletion of, in amphibians and reptiles during exercise (GLEESON) **160**, 187
Metabolism in exercising mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Restoration of, in exercised rainbow trout (PAGNOTTA AND MILLIGAN) **161**, 489
Utilization of, by trout cardiac myocytes (MILLIGAN) **159**, 185
Glycolysis:
In trout red blood cells (FERGUSON AND STOREY) **155**, 469
Glycolytic enzyme binding:
During anoxia in a whelk (BROOKS AND STOREY) **156**, 467
Glyconeogenesis:
In trout after exercise (PAGNOTTA AND MILLIGAN) **161**, 489
Goldfish:
Acidosis in anoxia (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
Mauthner-initiated escape response (EATON AND EMBERLEY) **161**, 469
G-protein:
Activation of, in *Paramecium* (BERNAL, KELSEY AND EHRLICH) **155**, 505
Graded synaptic transmission:
Effect of temperature, in the lobster (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267
Grasshopper:
Auditory interneurones in *Chorthippus biguttulus* (STUMPNER AND RONACHER) **158**, 391
Neuronal processing of song patterns (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Sensory coding for feeding deterrence (CHAPMAN, ASCOLI-CHRISTENSEN AND WHITE) **158**, 241
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
Growth:
Of cultured adult insect neurones (HOWES, CHEEK AND SMITH) **156**, 591
***Gryllus bimaculatus*:**
Degeneration of flight muscle (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661
Visual and acoustic course control (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Guinea pig:
Calcium uptake by heart mitochondria (McKEAN) **157**, 133

Gustation:
Host recognition by Colorado beetle (SPERLING AND MITCHELL) **157**, 439
Gustatory behaviour:
Of *Drosophila* mutants (BALAKRISHNAN AND RODRIGUES) **157**, 161
Gut:
Blood flow, in the cod (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Levels of carbonic anhydrase in *Aplysia* (GERENCSER) **161**, 515
Gymnotiformes:
Electrosensory and intensity discrimination by *Eigenmannia* (KRAMER AND KAUNZINGER) **161**, 43

H^+:
Secretion of, by locust hindgut (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Secretion of, by locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Transport of, across insect midgut (CHAO, MOFFETT AND KOCH) **155**, 403
H^+ transfer:
In *Sipunculus nudus* (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
H^+ transport:
In an adult salamander during respiratory acidosis (STIFFLER) **157**, 47
H^+-ATPase:
Function on the trout gill epithelium (LIN AND RANDALL) **161**, 119
Habituation:
In the femur–tibia feedback system of the stick insect (KITTMANN) **157**, 503
Of acoustic startle in flying crickets (MAY AND HOY) **159**, 489
***Haementeria ghilianii*:**
Modulation of salivary gland cell action potentials (WUTTKE AND BERRY) **157**, 101
Haemocoel:
Regulation of pressure in the shore crab (RAJASHEKHAR AND WILKENS) **155**, 147
Haemocyanin:
Effect on *in vitro* performance of octopus heart (AGNISOLA AND HOULIHAN) **157**, 523
Of crab, oxygen affinity of (BURNETT AND MANGUM) **155**, 675
Haemodynamics:
Of the arterial system of the toad (GIBBONS AND SHADWICK) **158**, 291
Haemoglobin:
Oxygen-affinity of, in a neonatal snake (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Hagfish:
Acid–base regulation (McDONALD, CAVDEK, CALVERT AND MILLIGAN) **161**, 201
Action of rat atriopeptin on vascular smooth muscle (EVANS) **157**, 551
Effect of hypoxia on heart function (FORSTER) **156**, 583
Hanging flight:
In the kestrel (VIDELER AND GROENEWOLD) **155**, 519
Head kidney:
In cod, role in the control of catecholamine release (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549
Hearing:
Auditory interneurones in a grasshopper (STUMPNER AND RONACHER) **158**, 391
In an atympanate bushcricket (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307
Role in course control of flying crickets (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Heart:
Calcium uptake by mitochondria of muskrat and guinea pig (McKEAN) **157**, 133
Cardiac cycle of an alligator (SHELTON AND JONES) **158**, 539
Control of function during exercise (TURNER) **160**, 309
Effect of haemocyanin on *in vitro* performance in octopus (AGNISOLA AND HOULIHAN) **157**, 523
Effect of hypoxia on function in the hagfish (FORSTER) **156**, 583
Innervation of, in the locust (BRÄUNIG) **156**, 567
Modulation of activity in a slug (WELSFORD AND PRIOR) **155**, 1
Of octopus, *in vitro* metabolism (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543
Ontogeny of function in the skate (PELSTER AND BEMIS) **156**, 387
Heart rate:
Variability, in trout (DE VERA AND PRIEDE) **156**, 611
Heat:
Loss through the wings, in pigeons (CRAIG AND LAROCHELLE) **155**, 193
Production of, by dogfish muscle (CURTIN AND WOLEDGE) **158**, 343
Heat dissipation:
Measurement of, in lizards (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375

***Helisoma trivolvis*:**
Modulation of postsynaptic calcium influx (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
***Hemicentrotus pulcherrimus*:**
Ciliary activity in the epaulette (MOGAMI, FUJIMA AND BABA) **155**, 65
Flagellar beating (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
***Hemitripterus americanus*:**
Erythrocyte metabolism (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Hepatocytes:
Heterogeneity of, in a teleost liver (MOMMSEN AND WALSH) **156**, 407
Isolated from trout, K^+ flux (BIANCHINI, FOSSAT, PORTHÉ-NIBELLE AND LAHLOU) **157**, 335
***Hermissenda crassicornis*:**
Single-channel recording from photoreceptors (ETCHEBERRIGARAY, HUDDIE AND ALKON) **156**, 619
High-energy phosphates:
In muscle of hypoxic goldfish (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
***Hirudo medicinalis*:**
Dual responses to serotonin in an identified neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
Effect of serotonin on the electrogenic pump (CATARSI AND BRUNELLI) **155**, 261
Excitability of cultured embryonic ganglion cells (SCHIRRMACHER AND DEITMER) **155**, 435
Histochemistry:
To localize carbonic anhydrase in dogfish uterus (FLÜGEL AND LÜTJEN-DRECOLL) **158**, 531
***Homarus americanus*:**
Escape behaviour (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Homing:
Of pigeons at the magnetic equator (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299
Honeybee:
A motion-sensitive visual neurone (IBBOTSON) **157**, 573
The olfactory memory (SMITH) **161**, 367
Thermoregulation and energetics (UNDERWOOD) **157**, 19
Hopping:
Energetics of, in mammals (BAUDINETTE) **160**, 208
Horse:
Mechanics of breathing (LAFORTUNA AND SAIBENE) **155**, 245
Host recognition:
By the Colorado beetle (SPERLING AND MITCHELL) **157**, 439
Hydrodynamics:
Of rapid shell closure in a brachiopod (ACKERLY) **156**, 287
Of station-holding by salmon parr (ARNOLD, WEBB AND HOLFORD) **156**, 625
Of swimming penguins (CULIK AND WILSON) **158**, 355
Hydrothermal vents:
High body temperatures of deep-sea invertebrates (DAHLHOFF AND SOMERO) **159**, 473
5-Hydroxytryptamine:
A diuretic hormone in *Rhodnius* (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Effect on action potentials in leech salivary gland cells (WUTTKE AND BERRY) **157**, 101
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Effect on the electrogenic pump in a leech neurone (CATARSI AND BRUNELLI) **155**, 261
In locust and cockroach salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Receptors for, in an identified leech neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
Hydrozoa:
Neuroactivity of dopamine (CHUNG AND SPENCER) **156**, 433
***Hyla versicolor*:**
Adhesion and detachment of toe pads (HANNA AND BARNES) **155**, 103
Hypercapnia:
Effect on acid–base balance in a salamander (STIFFLER) **157**, 47
Effect on acid–base regulation in trout (IWAMA AND HEISLER) **158**, 1
Effect on an air-breathing fish (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
In snails entering aestivation (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Hypoxia:
Effect on an air-breathing fish (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
Effect on catecholamine release in cod (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549

Effect on gastrointestinal blood flow in cod (AXELSSON AND FRITSCHE) **158**, 181
Effect on H^+ extrusion by trout red blood cells (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Effect on the hagfish heart (FORSTER) **156**, 583
Effect on the preferred temperature of toads (WOOD AND MALVIN) **159**, 203
Effect on the preferred temperature of trout (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
Effect on trout erythrocyte β-adrenoreceptors (REID AND PERRY) **158**, 217
Effect on ventilation in an air-breathing fish (McKENZIE, BURLESON AND RANDALL) **161**, 347

iBCLA:
Effect on lactate transport by trout heart (MILLIGAN AND WOOD) **155**, 357
Ice nucleation:
In an antarctic nematode (WHARTON AND BROWN) **155**, 629
Identified interneurone:
Coordinating withdrawal in a snail (SYED AND WINLOW) **158**, 37
Identified neurone:
Controlling buccal muscle movement in a snail (YOSHIDA AND KOBAYASHI) **155**, 415
In a mollusc, response to magnetic fields (LOHMANN, WILLOWS AND PINTER) **161**, 1
Ileum:
Proton secretion in the locust (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
***Illex*:**
Transport efficiency and power density (O'DOR AND WEBBER) **160**, 93
Immunocytochemistry:
Of a heart neurone in the locust (BRÄUNIG) **156**, 567
Immunohistochemistry:
Localisation of red pigment concentrating hormone in crayfish (SHERFF AND MULLONEY) **155**, 21
***In vitro*:**
Growth of adult insect neurones (HOWES, CHEEK AND SMITH) **156**, 591
***In vivo* ^{31}P-nuclear magnetic resonance:**
Used to measure acidosis in goldfish (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
***Inachis io*:**
Vortex formation during tethered flight (BRODSKY) **161**, 77
Infrasound:
Response of elephants to (LANGBAUER, PAYNE, CHARIF, RAPAPORT AND OSBORN) **157**, 35
Inhibitory anion channel:
In the crayfish stretch-receptor neurone (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
Insect:
A suboesophageal ganglion cell that innervates the heart (BRÄUNIG) **156**, 567
Insecticidal protein:
Inhibits phenylalanine uptake by insect midgut (WOLFERSBERGER) **161**, 519
Instrumentation:
Effect on swimming performance of penguins (CULIK AND WILSON) **158**, 355
Intensity:
Discrimination of, by *Eigenmannia* (KRAMER AND KAUNZINGER) **161**, 43
Interneurones:
Auditory, in a grasshopper (STUMPNER AND RONACHER) **158**, 391
Auditory, role in processing song patterns in a grasshopper (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Intestinal epithelium:
Of a teleost fish, contains a basolateral K^+ channel (LORETZ AND FOURTNER) **159**, 45
Intestine:
Of tilapia, acetate transport by (TITUS AND AHEARN) **156**, 41
Ion activities:
In the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Ion channel:
In an identified leech neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
Ion current:
In toad colon (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Induced by dopamine in a cockroach neurone (DAVIS AND PITMAN) **155**, 203
Ion exchange:
In rainbow trout erythrocytes (TUFTS AND BOUTILIER) **156**, 139
Ion transport:
Across the lamprey erythrocyte membrane (KIRK) **159**, 303, 325
By the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Cutaneous, in an adult salamander (STIFFLER) **157**, 47
In toad colon (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Transepithelial, in *Manduca sexta* (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61

Ionoregulation:
By the gills of land crabs (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
In a spider, role of the coxal organ (BUTT AND TAYLOR) **158**, 439
In fish after exhaustive exercise (WOOD) **160**, 285
In freshwater rainbow trout (CURTIS AND WOOD) **155**, 567
Isoleucine:
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Jet propulsion:
Efficiency of, in invertebrates (O'DOR AND WEBBER) **160**, 93
K^+ channel:
In *Hermissenda* photoreceptors (ETCHEBERRIGARAY, HUDDIE AND ALKON) **156**, 619
K^+/Cl^- cotransport:
Across the lamprey erythrocyte membrane (KIRK) **159**, 303, 325
Kestrel:
Hanging flight (VIDELER AND GROENEWOLD) **155**, 519
Ketanserin:
Effect on fluid secretion in insect Malpighian tubules (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Kinematics:
Of concertina locomotion in a snake (JAYNE AND DAVIS) **156**, 539
Of flight in the flappet lark (NORBERG) **159**, 515
Of prey capture in a frog (NISHIKAWA AND ROTH) **159**, 217
Of the escape response of angelfish (DOMENICI AND BLAKE) **156**, 187
Of tongue projection by a chameleon (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Of underwater locomotion in diving ducks (LOVVORN, JONES AND BLAKE) **159**, 89
Of vertical flight in the bat (ALDRIDGE) **157**, 183
Labridae:
Biomechanics of the feeding mechanism (WESTNEAT) **159**, 165
***Lacerta agilis*:**
Energy metabolism (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
Lactate:
Distribution and metabolism in exercising mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Levels in muscle of exercised trout (TANG AND BOUTILIER) **156**, 153
Metabolism in fish after exhaustive exercise (WOOD) **160**, 285
Metabolism of, by carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Metabolism of, in amphibians and reptiles after exercise (GLEESON) **160**, 187
Metabolism of, in the blood of exercised trout (PAGNOTTA AND MILLIGAN) **161**, 489
Metabolism of, in trout cardiac myocytes (MILLIGAN) **159**, 185
Metabolism of, in trout red blood cells (FERGUSON AND STOREY) **155**, 469
Release from the hypoxic hagfish heart (FORSTER) **156**, 583
Turnover in swimming trout (WEBER) **158**, 463
Utilization by trout heart (MILLIGAN AND WOOD) **155**, 357
Lactic acid:
As a product of anaerobic metabolism (BENNETT) **160**, 1
***Lampetra fluviatilis*:**
K^+ transport across the erythrocyte membrane (KIRK) **159**, 303
K^+/Cl^- cotransport across the erythrocyte membrane (KIRK) **159**, 325
Lamprey:
Acid–base regulation after exercise (TUFTS) **159**, 371
K^+ transport across the erythrocyte membrane (KIRK) **159**, 303
K^+/Cl^- cotransport across the erythrocyte membrane (KIRK) **159**, 325
Petromyzon marinus, skin photosensitivity (RONAN AND BODZNICK) **161**, 97
Land crab:
Urine reprocessing by *Birgus latro* (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
Lateral line:
Role in the photoresponse of larval lampreys (RONAN AND BODZNICK) **161**, 97
Leech:
Dual responses to serotonin in an identified neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
Effect of serotonin on the electrogenic pump (CATARSI AND BRUNELLI) **155**, 261
Excitability of cultured embryonic ganglion cells (SCHIRRMACHER AND DEITMER) **155**, 435
Modulation of salivary gland cell action potentials (WUTTKE AND BERRY) **157**, 101

Leg coordination:
In walking stick insects (DEAN) **159**, 449
***Leiognathus* spp.:**
Camouflage by disruptive illumination (McFALL-NGAI AND MORIN) **156**, 119
***Lepidopsetta bilineata*:**
Olfactory sampling (NEVITT) **157**, 1
Lepidopteran midgut:
Inhibition of transbasal potassium uptake (MOFFETT AND KOCH) **157**, 243
***Leptinotarsa decemlineata*:**
Dynamic fixation behaviour (LÖNNENDONKER) **158**, 149
***Leptinotarsa* spp.:**
Host recognition and sense of taste (SPERLING AND MITCHELL) **157**, 439
L-Glutamate:
Action on locust flight motor neurones (DUBAS) **155**, 337
***Libellula quadrimaculata*:**
Flight muscle mechanics (PECKHAM AND WHITE) **159**, 135
Lidocaine:
Effect on potassium uptake in lepidopteran midgut (MOFFETT AND KOCH) **157**, 243
Lift coefficient:
Of flying butterflies (DUDLEY) **159**, 335
Light:
Polarized, role in pigeon navigation (WALDVOGEL AND PHILLIPS) **155**, 643
***Limax maximus*:**
Modulation of heart activity (WELSFORD AND PRIOR) **155**, 1
Limpet:
Adhesion, role of suction (SMITH) **161**, 151
***Lithobius forficatus*:**
Urine formation (WENNING, GREISINGER AND PROUX) **158**, 165
Lizard:
Cost of reproduction (SINERVO, HEDGES AND ADOLPH) **155**, 323
Energy metabolism (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
Load:
Compensation for, by walking stick insects (DEAN) **159**, 449
Effect on flight performance in bats (HUGHES AND RAYNER) **161**, 285
Lobster:
Escape behaviour (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Nephrops norvegicus, coordinated responses to body tilt (KNOX AND NEIL) **155**, 605
Temperature sensitivity of graded synaptic transmission (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267
Locomotion:
Action of acetylcholine on swimming frog embryos (PANCHIN, PERRINS AND ROBERTS) **161**, 527
Aerodynamic performance of the *Velella* sail (FRANCIS) **158**, 117
Comparative aspects of muscle action (JOHNSTON) **160**, 167
Decreased sprint speed in gravid lizards (SINERVO, HEDGES AND ADOLPH) **155**, 323
Effect of load on stick insect stepping (DEAN) **159**, 449
Energetics and power output of isolated fish muscle (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Energetics of a gait change in a toad (ANDERSON, FEDER AND FULL) **158**, 133
Energy costs in mammals (BAUDINETTE) **160**, 208
Energy-saving mechanisms in walking and running (ALEXANDER) **160**, 55
Fast-start performance in pike (HARPER AND BLAKE) **155**, 175
Fast-start performance in rainbow trout (WEBB, SIMS AND SCHULTZ) **155**, 219
Kinematics of concertina motion in a snake (JAYNE AND DAVIS) **156**, 539
Leg coordination in amputee cockroaches (DELCOMYN) **156**, 483, 503
Leg design in hexapedal runners (FULL, BLICKHAN AND TING) **158**, 369
Mechanics of a rapid running insect (FULL AND TU) **156**, 215
Mechanics of, in diving ducks (LOVVORN, JONES AND BLAKE) **159**, 89
Modulation of the crayfish swimmeret system (SHERFF AND MULLONEY) **155**, 21
Of mammals, scaling effects on diaphragm muscle (ALTRINGHAM AND YOUNG) **157**, 381
Properties of mollusc swimming muscle (SATTERLIE) **159**, 285
Swimmeret rhythm in the isolated crayfish nervous system (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
The evolution of activity capacity (BENNETT) **160**, 1
Locust:
Acid–base transport in hindgut (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Acid–base variables in Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433

Force–velocity relationships of flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Monosynaptic leg reflexes (SKORUPSKI AND HUSTERT) **158**, 599
Neurotransmitter content of salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Neurotransmitters in flight muscle (DUBAS) **155**, 337
Physiology of hindleg tactile hair afferents (NEWLAND) **155**, 487
Role of cyclic AMP in octopaminergic modulation of flight muscle (WHIM AND EVANS) **161**, 423
Wind drift compensation (PREISS AND GEWECKE) **157**, 461

***Locusta migratoria*:**
A suboesophageal ganglion cell innervates the heart (BRÄUNIG) **156**, 567
Flight motor pattern (KUTSCH, NEUBAUER AND KRÄMER) **156**, 629
Neurotransmitters in flight muscle (DUBAS) **155**, 337
Recovery of the flight motor pattern after wing removal (BÜSCHGES AND PEARSON) **157**, 313

***Loligo*:**
Transport efficiency and cost of transport (O'DOR AND WEBBER) **160**, 93

***Lottia gigantea*:**
Role of suction in adhesion (SMITH) **161**, 151

***Lottia pelta*:**
Role of suction in adhesion (SMITH) **161**, 151

***Loxodonta africana*:**
Responses to low-frequency conspecific calls (LANGBAUER, PAYNE, CHARIF, RAPAPORT AND OSBORN) **157**, 35

Lung:
Resistance of, in exercising horses (LAFORTUNA AND SAIBENE) **155**, 245

***Lymantria dispar*:**
Potassium/phenylalanine cotransport in midgut (WOLFERSBERGER) **161**, 519

***Lymnaea stagnalis*:**
Coordination of locomotor and cardiorespiratory interneurones (SYED AND WINLOW) **158**, 37
Motor control of withdrawal (FERGUSON AND BENJAMIN) **158**, 63
Sensory activation of withdrawal (FERGUSON AND BENJAMIN) **158**, 97
Timing of feeding rhythms (ELLIOTT AND ANDREW) **157**, 391

***Macaca mulatta*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1

***Macromia taeniolata*:**
Power requirements for flight (MAY) **158**, 325

Magnesium:
Dependence on, of carp embryonic development (VAN DER VELDEN, SPANINGS, FLIK AND WENDELAAR BONGA) **158**, 431

Magnetic equator:
Effect on the performance of homing pigeons (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299

Magnetic field:
Effect on orientation of hatchling turtles (LOHMANN) **155**, 37
Effect on orientation of migratory birds (SANDBERG, OTTOSSON AND PETTERSSON) **155**, 51

Magnetism:
Effect on the homing performance of pigeons (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299

Magnetoreception:
By an identified molluscan neurone (LOHMANN, WILLOWS AND PINTER) **161**, 1

Malate dehydrogenase:
Pressure and temperature adaptation in deep-sea invertebrates (DAHLHOFF AND SOMERO) **159**, 473

Malpighian tubules:
Fluid secretion by, in a centipede (WENNING, GREISINGER AND PROUX) **158**, 165
In locust, acid secretion into (STAGG, HARRISON AND PHILLIPS) **159**, 433
In *Rhodnius*, calcium accumulation by (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483
Induction of fluid secretion in *Rhodnius* by 5-hydroxytryptamine (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Transepithelial ion transport (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61

Mammals:
Scaling of ventilation rate (WORTHINGTON, YOUNG AND ALTRINGHAM) **161**, 533

***Manduca sexta*:**
Cytoplasmic and goblet cell pH in the midgut (CHAO, MOFFETT AND KOCH) **155**, 403

Effect of lidocaine on potassium transport across the midgut (MOFFETT AND KOCH) **157**, 243
Transepithelial ion transport (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61
Manoeuvrability:
Of flying bats (THOLLESSON AND NORBERG) **158**, 19
Of startled angelfish (DOMENICI AND BLAKE) **156**, 187
Mantle:
Of *Aplysia californica*, mechanoreceptor neurones (DUBUC AND CASTELLUCCI) **156**, 315
Mass coefficient:
Explanation of (HEUSNER) **160**, 25
Mass scaling:
Of ventilation in desert beetles (LIGHTON) **159**, 249
Mauthner cell:
Activity during the startle response in larval fish (FEATHERSTONE, DREWES AND COATS) **158**, 583
Mealworm:
Ion activities in the rectal complex (O'DONNELL AND MACHIN) **155**, 375
Mechanical model:
Of force generation in Aristotle's lantern (ELLERS AND TELFORD) **155**, 585
Mechanics:
Of feeding in *Epibulus insidiator* (WESTNEAT) **159**, 165
Of isolated cod muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Of locust flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Of rapid shell closure in a brachiopod (ACKERLY) **156**, 287
Of running cockroaches (FULL, BLICKHAN AND TING) **158**, 369
Of the retractor unguis in stick insects (RADNIKOW AND BÄSSLER) **157**, 87
Of the toad circulatory system (GIBBONS AND SHADWICK) **158**, 255
Of underwater locomotion in diving ducks (LOVVORN, JONES AND BLAKE) **159**, 89
Scaling effects on mammalian diaphragm muscle (ALTRINGHAM AND YOUNG) **157**, 381
Mechanoreceptor neurones:
Receptive fields of, in *Aplysia californica* (DUBUC AND CASTELLUCCI) **156**, 315
Medaka:
Startle reponse (FEATHERSTONE, DREWES AND COATS) **158**, 583
Medial octavolateralis nucleus:
Role in the photoresponse of larval lampreys (RONAN AND BODZNICK) **161**, 97
Medulla:
Of a butterfly larva, integration of colour signals (ICHIKAWA) **155**, 127
Membrane:
Composition of, in deep-sea fish (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Membrane potential:
Effect on ciliary beating in *Stylonychia* (MOGAMI AND MACHEMER) **161**, 239
Memory:
Consolidation, in the honeybee (SMITH) **161**, 367
Metabolic rate:
In desert beetles (LIGHTON) **159**, 249
Of swimming instrumented penguins (CULIK AND WILSON) **158**, 355
Metabolism:
Aerobic and anaerobic, across animal species (BENNETT) **160**, 1
Aerobic, in carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509
Cost of cooling in a desert cicada (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Depression of, in a whelk during anoxia (BROOKS AND STOREY) **156**, 467
Effect of the procedures of the doubly labelled water technique in mice (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Enzyme activities in the heater organs of scombroid fish (TULLIS, BLOCK AND SIDELL) **161**, 383
Glycolysis in trout red blood cells (FERGUSON AND STOREY) **155**, 469
In rainbow trout erythrocytes (TUFTS AND BOUTILIER) **156**, 139
In trout muscle after exercise (PAGNOTTA AND MILLIGAN) **161**, 489
Of a marine worm subjected to different oxygen levels (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143
Of fish after exhaustive exercise (WOOD) **160**, 285
Of lactate, by amphibians and reptiles after exercise (GLEESON) **160**, 187
Of lactate, by trout heart (MILLIGAN AND WOOD) **155**, 357
Of lactate, in swimming trout (WEBER) **158**, 463
Of octopus heart *in vitro* (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543

Of sea raven erythrocytes (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Substrate utilization by trout cardiac myocytes (MILLIGAN) **159**, 185
Metathoracic ganglion:
Of a grasshopper, auditory interneurones (STUMPNER AND RONACHER) **158**, 391
***Micrathyria atra*:**
Power requirements for flight (MAY) **158**, 325
Microcalorimetry:
Used to measure energy metabolism in lizards (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
Midgut:
Of *Manduca sexta*, pH in cytoplasm and goblet cavity (CHAO, MOFFETT AND KOCH) **155**, 403
Transepithelial ion transport in an insect (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61
Migration:
Of hatchling turtles (LOHMANN) **155**, 37
***Mirafra rufocinnamomea*:**
Wing-clap display flight (NORBERG) **159**, 515
Mitochondria:
Calcium uptake by (McKEAN) **157**, 133
Distribution of, in mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Modulation:
Of the carp respiratory rhythm (DE GRAAF AND ROBERTS) **155**, 77
Mollusc:
Aestivation in a land snail (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Electrophysiology of swimming muscle (SATTERLIE) **159**, 285
Ion currents in dissociated muscle fibres (DORSETT AND EVANS) **155**, 305
Motor control of snail withdrawal (FERGUSON AND BENJAMIN) **158**, 63
Receptive fields of *Aplysia* mechanoreceptors (DUBUC AND CASTELLUCCI) **156**, 315
Sensory activation of withdrawal (FERGUSON AND BENJAMIN) **158**, 97
Timing of snail feeding rhythms (ELLIOTT AND ANDREW) **157**, 391
Tritonia diomedea, neural response to magnetic fields (LOHMANN, WILLOWS AND PINTER) **161**, 1
***Monodelphis domesticus*:**
Responses of the cultured central nervous system to GABA (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
Morphology:
Effect on cost of reproduction in lizards (SINERVO, HEDGES AND ADOLPH) **155**, 323
Morphometry:
Of mammalian muscle (HOPPELER AND BILLETER) **160**, 263
Motion:
Detection of, by butterfly neurones (MADDESS, DUBOIS AND IBBOTSON) **161**, 171
Sensitivity to, of a honeybee descending neurone (IBBOTSON) **157**, 573
Motor control:
Of snail withdrawal behaviour (FERGUSON AND BENJAMIN) **158**, 63
Of the escape response in goldfish (EATON AND EMBERLEY) **161**, 469
Motor neurone:
For flight, in the locust, putative neurotransmitters (DUBAS) **155**, 337
Motor pattern:
For flight, in locust abdominal segments (KUTSCH, NEUBAUER AND KRÄMER) **156**, 629
For flight, recovery after wing removal, in the locust (BÜSCHGES AND PEARSON) **157**, 313
For walking, in the cockroach, effect of leg amputation (DELCOMYN) **156**, 483, 503
Motor programme:
For feeding, in slug (WELSFORD AND PRIOR) **155**, 1
For swimming, in frog embryos (SOFFE AND SILLAR) **156**, 101
Moult cycle:
Effect on the lobster escape response (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Mouse:
Effect of the procedures of the doubly labelled water technique (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Movement:
Of penguins, measured with a compass system (WILSON, WILSON, LINK, MEMPEL AND ADAMS) **157**, 557
Spiral, of spermatozoa (HAMAGUCHI, ISHIJIMA, HAMAGUCHI AND HIRAMOTO) **161**, 537
Muscle:
Action of the retractor unguis in stick insects (RADNIKOW AND BÄSSLER) **157**, 87
Cardiac, utilization of lactate in trout (MILLIGAN AND WOOD) **155**, 357

Comparative mechanics, during running, swimming and flying (JOHNSTON) **160**, 167
Efficiency of, in dogfish (CURTIN AND WOLEDGE) **158**, 343
Electrophysiology of, in a pteropod mollusc (SATTERLIE) **159**, 285
Energetics and power output of isolated cod fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Exercise-related changes in protein turnover (GOLDSPINK) **160**, 127
Fibre recruitment in flying, running and swimming birds (BUTLER) **160**, 233
Flight, action of octopamine in the locust (WHIM AND EVANS) **161**, 423
Flight, mechanics of, in the dragonfly (PECKHAM AND WHITE) **159**, 135
For flight, in the cricket, degeneration of (SHIGA, KOGAWAUCHI, YASUYAMA AND YAMAGUCHI) **155**, 661
For flight, power of (ELLINGTON) **160**, 71
For running, efficiency of (ALEXANDER) **160**, 55
Forces in running cockroaches (FULL, BLICKHAN AND TING) **158**, 369
Force–velocity relationships of locust flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Fuel for, in swimming trout (WEBER) **158**, 463
Metabolism, during recovery from exercise (GLEESON) **160**, 187
Metabolism, in trout after exercise (PAGNOTTA AND MILLIGAN) **161**, 489
Of *Ascaris suum*, cholinoreceptors (COLQUHOUN, HOLDEN-DYE AND WALKER) **158**, 509
Of exercised trout, acid–base and lactate status (TANG AND BOUTILIER) **156**, 153
Of *Philine aperta*, ion currents (DORSETT AND EVANS) **155**, 305
Oxygen and substrate transport during exercise (HOPPELER AND BILLETER) **160**, 263
Phosphagens in an echinoderm (ELLINGTON) **158**, 591
Scaling effects on mammalian diaphragm (ALTRINGHAM AND YOUNG) **157**, 381
Seasonally variable activity of a Ca^{2+} channel in crayfish (BISHOP, KROUSE AND WINE) **156**, 607
Skeletal, effect of exercise on amino acid concentrations (HENRIKSSON) **160**, 149
Skeletal, mechanical properties of, in sculpin (JOHNSON AND JOHNSTON) **157**, 409
Temperature acclimation, in the carp (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291

Muskrat:
Calcium uptake by mitochondria (McKEAN) **157**, 133

Myoepithelial cells:
In the sea anemone, ionic currents (HOLMAN AND ANDERSON) **161**, 333

Myosin:
In carp muscle, effect of temperature (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291

***Myoxocephalus scorpius*:**
Effect of temperature on mechanical properties of muscle (JOHNSON AND JOHNSTON) **157**, 409

***Myxine glutinosa*:**
Acid–base regulation (McDONALD, CAVDEK, CALVERT AND MILLIGAN) **161**, 201
Action of rat atriopeptin on vascular smooth muscle (EVANS) **157**, 551

Na^+/H^+ antiporter:
In *Xenopus laevis* oocytes (TOWLE, BAKSINSKI, RICHARD AND KORDYLEWSKI) **159**, 359

Na^+/H^+ exchange:
By trout red blood cells, effects of hypoxia (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
In echinoderm gastrointestinal epithelium (AHEARN AND FRANCO) **158**, 495
Inhibition of, in trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367

Na^+/K^+-ATPase:
Effect of serotonin, in a leech neurone (CATARSI AND BRUNELLI) **155**, 261

***Nautilus*:**
Transport efficiency and power density (O'DOR AND WEBBER) **160**, 93

Navigation:
Orientation of homing pigeons at the magnetic equator (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299
Role of olfaction in map formation in pigeons (WALDVOGEL AND PHILLIPS) **155**, 643

Nematocyst:
Calcium-induced discharge of (SANTORO AND SALLEO) **156**, 173

Nematode:
Ascaris suum, pharmacology of cholinoreceptors (COLQUHOUN, HOLDEN-DYE AND WALKER) **158**, 509

Cold tolerance of *Panagrolaimus davidi* (WHARTON AND BROWN) **155**, 629
Neonate:
Of the garter snake, red cell physiology (INGERMANN, BERNER AND RAGSDALE) **157**, 579
***Nephrops norvegicus*:**
Coordinated responses to body tilt (KNOX AND NEIL) **155**, 605
Nervous system:
Isolated from crayfish, swimmeret rhythm (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
***N*-Ethylmaleimide:**
Effect on K^+ flux in isolated trout hepatocytes (BIANCHINI, FOSSAT, PORTHÉ-NIBELLE AND LAHLOU) **157**, 335
Neural control:
Of flight muscle in bees (ESCH AND GOLLER) **159**, 419
Neuroethology:
Of the escape response in goldfish (EATON AND EMBERLEY) **161**, 469
Neurohormone:
FMRFamide-like immunoreactivity in the crayfish nervous system (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519
Neuromodulation:
Of calcium influx into a snail neurone (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Neurone:
Descending, motion-sensitive, in the honeybee (IBBOTSON) **157**, 573
From adult cockroach, *in vitro* growth (HOWES, CHEEK AND SMITH) **156**, 591
Neuropeptide:
Distribution of FMRFamide-like immunoreactivity in the crayfish (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Effect on tentacle contraction in sea anemones (MCFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Effects on sea anemone slow muscles (MCFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Modulators of postsynaptic calcium influx in a snail neurone (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Role of red pigment concentrating hormone in crayfish (SHERFF AND MULLONEY) **155**, 21
Neurosecretory cell:
In the silkworm (ICHIKAWA) **161**, 217
Localization of, in the locust (BRÄUNIG) **156**, 567
Neurotransmitter:
Content of locust and cockroach salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
In anthozoans (MCFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
In locust flight motor neurones (DUBAS) **155**, 337
In sea anemones (MCFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Nicotinic receptors:
Pharmacology of, in *Ascaris suum* (COLQUHOUN, HOLDEN-DYE AND WALKER) **158**, 509
NMDA receptor:
On squid giant axon Schwann cells (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593
Noninvasive technique:
For recording electrical events in a larval fish (FEATHERSTONE, DREWES AND COATS) **158**, 583
Noradrenaline:
Control of release from hypoxic cod (PERRY, FRITSCHE, KINKEAD AND NILSSON) **155**, 549
Effect on metabolism of trout cardiac myocytes (MILLIGAN) **159**, 185
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Notaspidea:
Defence mechanisms (GILLETTE, SAEKI AND HUANG) **156**, 335
Nuclear magnetic resonance:
Used to measure intracellular pH in snails (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Nudibranch:
Neural response of *Tritonia diomedea* to magnetic fields (LOHMANN, WILLOWS AND PINTER) **161**, 1
***Nyctalus noctula*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19

Octopamine:
Action on locust flight muscle (WHIM AND EVANS) **161**, 423
In insect DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
Octopine:
As a product of anaerobic metabolism (BENNETT) **160**, 1

***Octopus vulgaris*:**
Effect of haemocyanin on the *in vitro* performance of the heart (AGNISOLA AND HOULIHAN) **157**, 523
Negative pressure under the suckers (SMITH) **157**, 257
O_2 consumption, CO_2 production and enzyme activities of the heart (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543
Odonata:
Power requirements for flight (MAY) **158**, 325
***Oenanthe oenanthe*:**
Magnetic orientation (SANDBERG, OTTOSSON AND PETTERSSON) **155**, 51
Olfaction:
In the silkmoth (ZUFALL, HATT AND KEIL) **161**, 455
Memory consolidation in the honeybee (SMITH) **161**, 367
Role in the formation of the navigational map of the pigeon (WALDVOGEL AND PHILLIPS) **155**, 643
Sniffing in flounders (NEVITT) **157**, 1
***Oncorhynchus mykiss*:**
Adrenergic inhibition of CO_2 excretion by red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
β-Adrenoreceptors (REID, MOON AND PERRY) **158**, 199
Effect of an air/water interface on fast-start performance (WEBB, SIMS AND SCHULTZ) **155**, 219
Effect of catecholamines on CO_2 excretion by red blood cells (WOOD AND PERRY) **157**, 349
Effect of cortisol on red cell β-adrenoreceptors (REID AND PERRY) **158**, 217
Effect of endurance swimming on lactate kinetics (WEBER) **158**, 463
Effect of exercise on acid–base and lactate status (TANG AND BOUTILIER) **156**, 153
Effect of hypoxia on Na^+/H^+ exchange by red blood cells (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Effect of hypoxia on preferred temperature (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
Effect of water salinity on acid–base regulation (IWAMA AND HEISLER) **158**, 1
Electrogenic proton pump on the gill epithelium (LIN AND RANDALL) **161**, 119
Freshwater-adapted, function of the urinary bladder (CURTIS AND WOOD) **155**, 567
Glycogen restoration in exercised muscle (PAGNOTTA AND MILLIGAN) **161**, 489
Glycolytic enzymes in red blood cells (FERGUSON AND STOREY) **155**, 469
Heart rate variability signal (DE VERA AND PRIEDE) **156**, 611
Ion exchange and metabolism in erythrocytes (TUFTS AND BOUTILIER) **156**, 139
K^+ flux in isolated hepatocytes (BIANCHINI, FOSSAT, PORTHÉ-NIBELLE AND LAHLOU) **157**, 335
Metabolism of cardiac myocytes (MILLIGAN) **159**, 185
Muscle deformation during fast starts (COVELL, SMITH, HARPER AND BLAKE) **156**, 453
Renin, ANP and plasma ions after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
***Ondatra zibethicus*:**
Calcium uptake by heart mitochondria (McKEAN) **157**, 133
Ontogeny:
Of heart function in the skate (PELSTER AND BEMIS) **156**, 387
Oocyte:
Na^+/H^+ antiporter in *Xenopus laevis* (TOWLE, BAKSINSKI, RICHARD AND KORDYLEWSKI) **159**, 359
Opossum:
Effect of GABA on the cultured central nervous system (STEWART, ZOU, TREHERNE, MØLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
***Opsanus beta*:**
Metabolic and enzymatic heterogeneity in the liver (MOMMSEN AND WALSH) **156**, 407
Optomotor control:
Of locust flight (PREISS AND GEWECKE) **157**, 461
Optomotor response:
Of flying crickets (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Oral regeneration:
Inhibition of, in *Stentor* (MALONEY, WALSH AND RHOADARMER) **161**, 135
***Oreochromis mossambicus*:**
Transport of acetate across the basolateral membrane (TITUS AND AHEARN) **156**, 41
***Oreohelix strigosa*:**
Intracellular pH during aestivation (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525

Orientation:
Magnetic, of hatchling turtles (LOHMANN) **155**, 37
Magnetic, of migratory wheatears (SANDBERG, OTTOSSON AND PETTERSSON) **155**, 51
Of a mollusc in a magnetic field (LOHMANN, WILLOWS AND PINTER) **161**, 1
Visual, in flying locusts (PREISS AND GEWECKE) **157**, 461
***Oryzias latipes*:**
Electrical events during the startle reflex (FEATHERSTONE, DREWES AND COATS) **158**, 583
Oscillation:
Of the gill arch, effect on respiratory rhythm in carp (DE GRAAF AND ROBERTS) **155**, 93
Osmoregulation:
In a spider, role of the coxal organ (BUTT AND TAYLOR) **158**, 439
***Osteopilus septentrionalis*:**
Adhesion and detachment of toe pads (HANNA AND BARNES) **155**, 103
***Otomops martiensseni*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
Oxidative capacity:
Of mammalian striated muscle (GOLDSPINK) **160**, 127
Of the heater organs of scombroid fish (TULLIS, BLOCK AND SIDELL) **161**, 383
Oxygen:
Partial pressure of, effect on ion transfer in *Sipunculus nudus* (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
Transport in muscles of exercising mammals (HOPPELER AND BILLETER) **160**, 263
Oxygen affinity:
Of crab haemocyanin (BURNETT AND MANGUM) **155**, 675
Of haemoglobin in the red cells of a neonatal snake (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Of red blood cells from a pregnant snake (RAGSDALE AND INGERMANN) **159**, 501
Of red blood cells of a pregnant snake (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Oxygen consumption:
By the hypoxic hagfish heart (FORSTER) **156**, 583
Effect of the procedures of the doubly labelled water technique (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Maximal, of animal species (BENNETT) **160**, 1
Measurement of, in lizards (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
Of a toad using different gaits (ANDERSON, FEDER AND FULL) **158**, 133
Of sea raven erythrocytes (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Of the octopus heart *in vitro* (AGNISOLA, DRIEDZIC, FOSTER, HOULIHAN AND STEWART) **157**, 543
Oxygen level:
Ambient, effect on the metabolism of a marine worm (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143
Oxygen uptake:
Of a marine worm at different levels of ambient oxygen (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143

***Pacifastacus leniusculus*:**
Hormonal modulation of the swimmeret system (SHERFF AND MULLONEY) **155**, 21
***Panagrolaimus davidi*:**
Cold tolerance (WHARTON AND BROWN) **155**, 629
***Panulirus interruptus*:**
Temperature sensitivity of graded synaptic transmission (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267
***Papilio aegeus*:**
Properties of motion-sensitive neurones (MADDESS, DUBOIS AND IBBOTSON) **161**, 171
***Papilio xuthus*:**
Colour vision (ICHIKAWA) **155**, 127
***Papio papio*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Paramecium calkinsi*:**
Modulation of backward swimmimg behaviour (BERNAL, KELSEY AND EHRLICH) **155**, 505
Parr:
Salmon, station-holding (ARNOLD, WEBB AND HOLFORD) **156**, 625
Parturition:
Effect on red cell physiology in a snake (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Patch-clamp technique:
Used to characterize a K^+ channel in teleost intestinal epithelium (LORETZ AND FOURTNER) **159**, 45

Used to study Ca^{2+} channel activity in crayfish muscle (BISHOP, KROUSE AND WINE) **156**, 607

Pattern generation:
In the crayfish swimmeret system (SHERFF AND MULLONEY) **155**, 21

Pectoral fins:
Role in station-holding by salmon parr (ARNOLD, WEBB AND HOLFORD) **156**, 625

Penguin:
Determination of movements using a compass system (WILSON, WILSON, LINK, MEMPEL AND ADAMS) **157**, 557
Swimming energetics and performance (CULIK AND WILSON) **158**, 355

Peptide:
Immunocytochemical localization of, in the locust (BRÄUNIG) **156**, 567
Proctolin potentiates Ca^{2+} channel activity in crayfish muscle (BISHOP, KROUSE AND WINE) **156**, 607

Performance:
Of animal flight muscle (ELLINGTON) **160**, 71
Of concertina locomotion in a snake (JAYNE AND DAVIS) **156**, 539
Of octopus heart *in vitro* (AGNISOLA AND HOULIHAN) **157**, 523
Of the escape response of angelfish (DOMENICI AND BLAKE) **156**, 187

Pericardial organs:
In crayfish, contain FMRFamide-like immunoreactivity (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519

***Periplaneta americana*:**
Effect of leg amputation on leg coordination (DELCOMYN) **156**, 483, 503
Growth in culture of adult neurones (HOWES, CHEEK AND SMITH) **156**, 591
Mechanics of rapid running (FULL AND TU) **156**, 215
Neurotransmitter content of salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Pharmacology of dopamine receptors (DAVIS AND PITMAN) **155**, 203
Spiracular and cuticular water loss (MACHIN, KESTLER AND LAMPERT) **161**, 439
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565

Permeability:
Cuticular, of a desert beetle (ZACHARIASSEN) **157**, 425
Of *Rhodnius* Malpighian tubules to calcium (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483
Of the cockroach cuticle to water (MACHIN, KESTLER AND LAMPERT) **161**, 439

***Petromyzon marinus*:**
Acid–base regulation after exercise (TUFTS) **159**, 371
Skin photosensitivity (RONAN AND BODZNICK) **161**, 97

pH:
Compensation in the toad following hypercapnia (SNYDER AND NESTLER) **161**, 415
Cytoplasmic, in the goblet cells of insect midgut (CHAO, MOFFETT AND KOCH) **155**, 403
In locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
In the tubule lumen of the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Intracellular, effect of catecholamines on trout red blood cells (WOOD AND PERRY) **157**, 349
Intracellular, effect of GABA on a crayfish stretch receptor (VOIPIO, PASTERNACK, RYDQVIST AND KAILA) **156**, 349
Intracellular, in anoxic goldfish (VAN WAARDE, DE GRAAFF, VAN DEN THILLART AND ERKELENS) **159**, 387
Intracellular, in muscle of exercised trout (TANG AND BOUTILIER) **156**, 153
Intracellular, in trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Of water, effect on exercise in fish (RANDALL AND BRAUNER) **160**, 113
Role in regulating glycolytic enzyme binding in a whelk (BROOKS AND STOREY) **156**, 467

pH regulation:
Intracellular, in the crayfish stretch receptor neurone (MOSER AND MAIR) **157**, 227

Phase difference:
Sensitivity for, in an electric fish (KRAMER AND OTTO) **159**, 1

***Phasmodes ranatriformes*:**
Auditory system (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307

Phenylalanine:
Uptake by *Lymantria dispar* midgut (WOLFERSBERGER) **161**, 519
Pheromones:
Detection of, by the silkmoth (ZUFALL, HATT AND KEIL) **161**, 455
***Philine aperta*:**
Ion currents in dissociated muscle fibres (DORSETT AND EVANS) **155**, 305
Phonotaxis:
Of flying crickets (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Phosphate:
Buffering role in locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Photoreceptor:
K^+ channels in *Hermissenda* (ETCHEBERRIGARAY, HUDDIE AND ALKON) **156**, 619
Photosensitivity:
Extraretinal, in larval lampreys (RONAN AND BODZNICK) **161**, 97
***Photuris*:**
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
***Phrynocolus petrosus*:**
Routes of transpiratory water loss (ZACHARIASSEN) **157**, 425
Pigeon:
Cooling power of the wings (CRAIG AND LAROCHELLE) **155**, 193
Orientation at the magnetic equator (RANVAUD, SCHMIDT-KOENIG, GANZHORN, KIEPENHEUER, GASPAROTTO AND BRITTO) **161**, 299
Role of olfaction in navigation (WALDVOGEL AND PHILLIPS) **155**, 643
Pike:
Fast-start performance of *Esox lucius* (HARPER AND BLAKE) **155**, 175
***Pipistrellus pipistrellus*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
Plasma:
Effect of exercise on amino acid concentrations (HENRIKSSON) **160**, 149
Plasticity:
In the flight system of the locust (BÜSCHGES AND PEARSON) **157**, 313
***Platichthys stellatus*:**
Olfactory sampling (NEVITT) **157**, 1
***Plecotus auritus*:**
Effect of wing loading on flight performance (HUGHES AND RAYNER) **161**, 285
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
***Pleurobranchaea californica*:**
Defence mechanisms (GILLETTE, SAEKI AND HUANG) **156**, 335
Pleuston:
Velella velella, aerodynamic performance of the sail (FRANCIS) **158**, 117
***Podarcis milensis*:**
Energy metabolism (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
***Podarcis muralis*:**
Energy metabolism (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
Polarized light:
Role in pigeon navigation (WALDVOGEL AND PHILLIPS) **155**, 643
Polarography:
Used to measure energy metabolism in lizards (LAMPRECHT, MATUSCHKA AND SCHAARSCHMIDT) **156**, 375
***Polypedates leucomastyx*:**
Adhesion and detachment of toe pads (HANNA AND BARNES) **155**, 103
***Porrhotele antipodiana*:**
Function of the coxal organ (BUTT AND TAYLOR) **158**, 439
Posterior lateral line nerve:
Role in the photoresponse of larval lampreys (RONAN AND BODZNICK) **161**, 97
Posture:
Abdominal, maintenance of, in the lobster (KNOX AND NEIL) **155**, 605
Of crayfish, relationship with the swimmeret rhythm (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
Potassium:
Cotransport with phenylalanine in insect midgut (WOLFERSBERGER) **161**, 519
Transport of, across insect midgut (CHAO, MOFFETT AND KOCH) **155**, 403
Potassium channel:
In *Hermissenda* photoreceptors (ETCHEBERRIGARAY, HUDDIE AND ALKON) **156**, 619
In teleost intestinal basolateral membrane (LORETZ AND FOURTNER) **159**, 45
In the lamprey erythrocyte membrane (KIRK) **159**, 303
Potassium conductance:
In a leech neurone, effect of serotonin (CATARSI AND BRUNELLI) **155**, 261
Of cultured jellyfish neurones (CHUNG AND SPENCER) **156**, 433

Potassium current:
In a mollusc muscle (DORSETT AND EVANS) **155**, 305
In sea anemone muscle cells (HOLMAN AND ANDERSON) **161**, 333
Potassium flux:
In isolated trout hepatocytes (BIANCHINI, FOSSAT, PORTHÉ-NIBELLE AND LAHLOU) **157**, 335
Potassium pump:
Electrogenic, in an insect epithelium (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61
Potassium transport:
Across the lamprey erythrocyte membrane (KIRK) **159**, 303
Active, across the lepidopteran midgut (MOFFETT AND KOCH) **157**, 243
Power:
Effect of wing loading on flying bats (HUGHES AND RAYNER) **161**, 285
Of animal flight muscle (ELLINGTON) **160**, 71
Of jet propulsion in invertebrates (O'DOR AND WEBBER) **160**, 93
Relationship with body size in mammals (HEUSNER) **160**, 25
Requirements of flying butterflies (DUDLEY) **159**, 335
Power input:
Of swimming penguins (CULIK AND WILSON) **158**, 355
Power output:
Of dogfish muscle fibres (CURTIN AND WOLEDGE) **158**, 343
Of fish muscle doing oscillatory work (JOHNSON AND JOHNSTON) **157**, 409
Of flying dragonflies (MAY) **158**, 325
Of isolated cod muscle fibres (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Of mammalian diaphragm muscle (ALTRINGHAM AND YOUNG) **157**, 381
Pregnancy:
Effect on oxygen affinity of snake red blood cells (RAGSDALE AND INGERMANN) **159**, 501
Effect on red cell oxygen-affinity in a snake (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Pressure:
Effect on malate dehydrogenases in deep-sea invertebrates (DAHLHOFF AND SOMERO) **159**, 473
Effect on signal transduction in fish brain membranes (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Measurement of, under the feet of limpets (SMITH) **161**, 151
Negative, generated under octopus suckers (SMITH) **157**, 257
Pressure wave:
Velocity of, in the toad arterial system (GIBBONS AND SHADWICK) **158**, 291
Prey capture:
In *Esox lucius* (HARPER AND BLAKE) **155**, 175
Kinematics of, in a chameleon (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Mechanics of, in *Epibulus insidiator* (WESTNEAT) **159**, 165
Primate:
Visual pigments in New World monkeys (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
***Procambarus clarkii*:**
Distribution of FMRFamide-like immunoreactivity (MERCIER, ORCHARD AND TEBRUGGE) **156**, 519
Seasonally variable Ca^{2+} channel activity in muscle (BISHOP, KROUSE AND WINE) **156**, 607
Swimmeret rhythm in the isolated nervous system (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
Proctolin:
A modulator of calcium channels in crayfish muscle (BISHOP, KROUSE AND WINE) **156**, 607
Proline:
Transport of, by starfish pyloric caeca (AHEARN AND BEHNKE) **158**, 477
Propagation:
Of the bush-cricket call (STEPHEN AND HARTLEY) **155**, 227
Proprioception:
The femur–tibia feedback system of the stick insect (KITTMANN) **157**, 503
***Protanthea simplex*:**
Effects of neuropeptides on slow muscles (McFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Protein:
Turnover in exercising muscle (GOLDSPINK) **160**, 127
Proton:
Transport by frog oocytes (TOWLE, BAKSINSKI, RICHARD AND KORDYLEWSKI) **159**, 359
Proton excretion:
By hagfish gill (McDONALD, CAVDEK, CALVERT AND MILLIGAN) **161**, 201

Proton load:
In muscle of exercised trout (TANG AND BOUTILIER) **156**, 153
Proton pump:
On the gill of the rainbow trout (LIN AND RANDALL) **161**, 119
Proton transfer:
In *Sipunculus nudus* (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
***Pseudocentrotus depressus*:**
Ciliary activity in the epaulette (MOGAMI, FUJIMA AND BABA) **155**, 65
***Pseudopleuronectes americanus*:**
Glycogen restoration in exercised muscle (PAGNOTTA AND MILLIGAN) **161**, 489
***Pterophyllum eimekei*:**
Kinematics of the escape response (DOMENICI AND BLAKE) **156**, 187
Pulmonary system:
Control of function during exercise (TURNER) **160**, 309
***Pycnopodia helianthoides*:**
Epithelial Na^+/H^+ exchange (AHEARN AND FRANCO) **158**, 495
Proline transport by pyloric caeca (AHEARN AND BEHNKE) **158**, 477
***Pygoscelis adeliae*:**
Swimming energetics and performance (CULIK AND WILSON) **158**, 355
Pyloric caeca:
Of starfish, Na^+/H^+ exchange (AHEARN AND FRANCO) **158**, 495
Of starfish, transport of proline by (AHEARN AND BEHNKE) **158**, 477
Pyruvate:
Metabolism of, in carp erythrocytes (TIIHONEN AND NIKINMAA) **161**, 509

Quisqualate/kainate receptor:
On squid giant axon Schwann cells (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593

Rainbow trout:
Adrenergic inhibition of CO_2 excretion by red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Characteristics of erythrocyte β-adrenoreceptors (REID, MOON AND PERRY) **158**, 199
Effect of an air/water interface on fast-start performance (WEBB, SIMS AND SCHULTZ) **155**, 219
Effect of catecholamines on CO_2 excretion by red blood cells (WOOD AND PERRY) **157**, 349
Effect of cortisol on β-adrenoreceptors (REID AND PERRY) **158**, 217
Effect of endurance swimming on lactate kinetics (WEBER) **158**, 463
Effect of exercise on acid–base and lactate status (TANG AND BOUTILIER) **156**, 153
Effect of hypoxia on Na^+/H^+ exchange by red blood cells (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Effect of hypoxia on preferred temperature (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
Effect of water salinity on acid–base regulation (IWAMA AND HEISLER) **158**, 1
Electrogenic proton pump in the gill epithelium (LIN AND RANDALL) **161**, 119
Freshwater-adapted, function of the urinary bladder (CURTIS AND WOOD) **155**, 567
Glycogen restoration in exercised muscle (PAGNOTTA AND MILLIGAN) **161**, 489
Glycolytic enzymes in red blood cells (FERGUSON AND STOREY) **155**, 469
Ion exchange and metabolism in erythrocytes (TUFTS AND BOUTILIER) **156**, 139
Metabolism of cardiac myocytes (MILLIGAN) **159**, 185
Muscle deformation during fast starts (COVELL, SMITH, HARPER AND BLAKE) **156**, 453
***Raja erinacea*:**
Ontogeny of heart function (PELSTER AND BEMIS) **156**, 387
***Rana temporaria*:**
Centrally generated behavioural responses (SOFFE) **156**, 81
Synaptic drive to spinal neurones (SOFFE AND SILLAR) **156**, 101
Receptive fields:
Of *Aplysia* mechanoreceptor neurones (DUBUC AND CASTELLUCCI) **156**, 315
Receptor:
For dopamine, in the cockroach (DAVIS AND PITMAN) **155**, 203
For neurotransmitters, on locust flight motor neurones (DUBAS) **155**, 337
For serotonin, on an identified leech neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
β-Receptors:
In trout red blood cells (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Rectal complex:
Of the mealworm, ion activities and electrochemical gradients (O'DONNELL AND MACHIN) **155**, 375

Rectum:
Proton secretion in the locust (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Red blood cell:
Desensitization of Na^+/H^+ exchange in trout (THOMAS, KINKEAD, WALSH, WOOD AND PERRY) **156**, 233
Effect of pregnancy on oxygen affinity (RAGSDALE AND INGERMANN) **159**, 501
Metabolism of, in sea raven (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Of trout, adrenergic inhibition of CO_2 excretion (PERRY, WOOD, THOMAS AND WALSH) **157**, 367
Of trout, glycolytic enzymes in (FERGUSON AND STOREY) **155**, 469
Of trout, new assay for CO_2 excretion (WOOD AND PERRY) **157**, 349
Reflex:
Response of the locust leg to depression (SKORUPSKI AND HUSTERT) **158**, 599
The femur–tibia feedback system of the stick insect (KITTMANN) **157**, 503
Regeneration:
Of the oral apparatus of *Stentor* (MALONEY, WALSH AND RHOADARMER) **161**, 135
Renal function:
In freshwater trout (CURTIS AND WOOD) **155**, 567
Renin:
In trout blood after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Reproduction:
Cost of, in lizards (SINERVO, HEDGES AND ADOLPH) **155**, 323
Reptilia:
Effect of pregnancy on red cell oxygen-affinity in a snake (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Metabolic recovery from exercise (GLEESON) **160**, 187
Resistance exercise:
Effect on muscle protein turnover (GOLDSPINK) **160**, 127
Respiration:
In hypoxic toads (WOOD AND MALVIN) **159**, 203
Mechanics of, in the horse (LAFORTUNA AND SAIBENE) **155**, 245
Respiration rate:
Of muskrat and guinea pig mitochondria (McKEAN) **157**, 133
Respiratory coupling:
In running and hopping mammals (BAUDINETTE) **160**, 208
Respiratory quotient:
Effect of the procedures of the doubly labelled water technique (SPEAKMAN, RACEY AND BURNETT) **157**, 123
Respiratory rhythm:
In carp, effect of vagal sensory input (DE GRAAF AND ROBERTS) **155**, 77
In carp, entrainment by imposed gill oscillation (DE GRAAF AND ROBERTS) **155**, 93
Respirometry:
Of swimming penguins (CULIK AND WILSON) **158**, 355
Retina:
Pigments in New World monkeys (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
Retractor unguis muscle:
Function of, in stick insects (RADNIKOW AND BÄSSLER) **157**, 87
***Rhinolophus ferrumequinum*:**
Vertical flight (ALDRIDGE) **157**, 183
***Rhodnius prolixus*:**
Calcium accumulation in Malpighian tubules (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483
Induction of fluid secretion by 5-hydroxytryptamine (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Rhythm:
For feeding, in the snail, timing of (ELLIOTT AND ANDREW) **157**, 391
***Rousettus aegyptiacus*:**
Wing moments of inertia (THOLLESSON AND NORBERG) **158**, 19
Running:
Comparative aspects of muscle action (JOHNSTON) **160**, 167
Energy-saving mechanisms (ALEXANDER) **160**, 55
Mechanics of, in the cockroach (FULL AND TU) **156**, 215

Salamander:
Acid–base regulation (STIFFLER) **157**, 47
Salinity:
Effect on exercise in fish (RANDALL AND BRAUNER) **160**, 113
Environmental, effect on acid–base regulation in trout (IWAMA AND HEISLER) **158**, 1
Salivary gland:
Neurotransmitter content of locust and cockroach salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405

Of the leech, modulation of action potentials (WUTTKE AND BERRY) **157**, 101
***Salmo salar*:**
Renin, ANP and plasma ions after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Station-holding by parr (ARNOLD, WEBB AND HOLFORD) **156**, 625
Salmon:
Renin, ANP and plasma ions after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Station-holding by parr (ARNOLD, WEBB AND HOLFORD) **156**, 625
***Salvelinus fontinalis*:**
Utilization of lactate by heart muscle (MILLIGAN AND WOOD) **155**, 357
***Sarcophaga bullata*:**
Water vapour absorption by diapausing pupae (YODER AND DENLINGER) **157**, 273
***Sarcophaga crassipalpis*:**
Water vapour absorption by diapausing pupae (YODER AND DENLINGER) **157**, 273
Scaling:
Of lactate metabolism with body size (WEBER) **158**, 463
Of ventilation rate in mammals (WORTHINGTON, YOUNG AND ALTRINGHAM) **161**, 533
Of wing mass, in bats (THOLLESSON AND NORBERG) **158**, 19
Scaling effects:
On mammalian diaphragm muscle (ALTRINGHAM AND YOUNG) **157**, 381
***Sceloporus occidentalis*:**
Cost of reproduction (SINERVO, HEDGES AND ADOLPH) **155**, 323
***Schistocerca americana*:**
Force–velocity relationships of flight muscle (MALAMUD AND JOSEPHSON) **159**, 65
Sensory coding for feeding deterrence (CHAPMAN, ASCOLI-CHRISTENSEN AND WHITE) **158**, 241
Sulphide silver staining of DUM neurones (SIEGLER, MANLEY AND THOMPSON) **157**, 565
***Schistocerca gregaria*:**
Acid–base transport in hindgut (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Flight motor pattern (KUTSCH, NEUBAUER AND KRÄMER) **156**, 629
Malpighian tubule secretion in response to acidosis (STAGG, HARRISON AND PHILLIPS) **159**, 433
Monosynaptic leg reflexes (SKORUPSKI AND HUSTERT) **158**, 599
Neurotransmitter content of salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Physiology of hindleg tactile hair afferents (NEWLAND) **155**, 487
Role of cyclic AMP in the octopaminergic modulation of flight muscle (WHIM AND EVANS) **161**, 423
Wind drift compensation (PREISS AND GEWECKE) **157**, 461
Schwann cell:
Of squid giant axons, glutamate receptors (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593
Scombroid fish:
Metabolic enzyme activities in the heater organs (TULLIS, BLOCK AND SIDELL) **161**, 383
Sculpin:
Effect of temperature on mechanical properties of muscle (JOHNSON AND JOHNSTON) **157**, 409
***Scyliorhinus canicula*:**
Muscle efficiency (CURTIN AND WOLEDGE) **158**, 343
Sea anemone:
Effects of neuropeptides on slow muscles (McFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Ionic currents in muscle cells (HOLMAN AND ANDERSON) **161**, 333
Neuropeptides that modulate tentacle contraction (McFARLANE AND GRIMMELIKHUIJZEN) **155**, 669
Sea raven:
Erythrocyte metabolism (SEPHTON, MACPHEE AND DRIEDZIC) **159**, 407
Sea urchin:
Flagellar beating (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
Muscle phosphagens (ELLINGTON) **158**, 591
Seawater transfer:
Effect on renin, ANP and plasma ions in trout and salmon (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
***Sebastolobus alascanus*:**
Effect of pressure on adenosine receptor signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
***Sebastolobus altivelis*:**
Effect of pressure on adenosine receptor signal transduction (SIEBENALLER, HAGAR AND MURRAY) **159**, 23
Second messenger:
Role in the dual responses to serotonin in a leech neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531

Secretion:
Of fluid by the Malpighian tubules of a centipede (WENNING, GREISINGER AND PROUX) **158**, 165
Of protons, by locust hindgut (THOMSON, AUDSLEY AND PHILLIPS) **155**, 455
Of protons into locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Sensilla:
On locust hindleg, electrophysiology of (NEWLAND) **155**, 487
Sensitization:
In a proprioceptive reflex in a stick insect (KITTMANN) **157**, 503
Sensorimotor integration:
In the goldfish escape response (EATON AND EMBERLEY) **161**, 469
Sensorimotor synapse:
In the locust (SKORUPSKI AND HUSTERT) **158**, 599
Sensory feedback:
Role in prey capture by a frog (NISHIKAWA AND ROTH) **159**, 217
Sensory inhibition:
Of feeding in a grasshopper (CHAPMAN, ASCOLI-CHRISTENSEN AND WHITE) **158**, 241
Sensory input:
To snail neurones involved in the withdrawal response (FERGUSON AND BENJAMIN) **158**, 97
***Sepia*:**
Transport efficiency and power density (O'DOR AND WEBBER) **160**, 93
***Sepioteuthis sepioidea*:**
Glutamate receptors on the giant axon Schwann cells (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593
Serotonin:
A diuretic hormone in *Rhodnius* (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Effect on the electrogenic pump in a leech neurone (CATARSI AND BRUNELLI) **155**, 261
In locust and cockroach salivary neurones (GIFFORD, NICHOLSON AND PITMAN) **161**, 405
Receptors for, in an identified leech neurone (SANCHEZ-ARMASS, MERZ AND DRAPEAU) **155**, 531
Role in modulation of snail buccal muscle movement (YOSHIDA AND KOBAYASHI) **155**, 415
Sexual dimorphism:
Of a fish electric organ discharge (KRAMER AND OTTO) **159**, 1
Sexual selection:
Of flight display in the flappet lark (NORBERG) **159**, 515
***Shaker*:**
A gene specifying gustation in *Drosophila* (BALAKRISHNAN AND RODRIGUES) **157**, 161
***shaking-B*:**
A gene specifying gustation in *Drosophila* (BALAKRISHNAN AND RODRIGUES) **157**, 161
Shell closure:
Hydrodynamics of (ACKERLY) **156**, 287
Shivering:
Neural control of, in bees (ESCH AND GOLLER) **159**, 419
Short-circuit current:
Across the lepidopteran midgut (MOFFETT AND KOCH) **157**, 243
Silkmoth:
A cation channel in olfactory receptor neurones (ZUFALL, HATT AND KEIL) **161**, 455
Silkworm:
Neurosecretory cells of (ICHIKAWA) **161**, 217
Single-channel recording:
From isolated *Hermissenda* photoreceptors (ETCHEBERRIGARAY, HUDDIE AND ALKON) **156**, 619
***Sipunculus nudus*:**
Metabolic rate at different levels of ambient oxygen (HARDEWIG, ADDINK, GRIESHABER, PÖRTNER AND VAN DEN THILLART) **157**, 143
Proton-equivalent ion transfer (PÖRTNER, ANDERSEN AND HEISLER) **156**, 21
SITS:
Lack of effect on proton excretion by the trout gill (LIN AND RANDALL) **161**, 119
Skate:
Ontogeny of heart function (PELSTER AND BEMIS) **156**, 387
Skeletal muscle:
Deformation of, during trout fast starts (COVELL, SMITH, HARPER AND BLAKE) **156**, 453
Effect of exercise on amino acid concentrations (HENRIKSSON) **160**, 149
Performance during running, swimming and flying (JOHNSTON) **160**, 167
Skeletogenesis:
In a coral (IP AND LIM) **159**, 507
Skin:
Photosensitivity of, in larval lampreys (RONAN AND BODZNICK) **161**, 97

Sliding velocity:
Of axonemal microtubules, in sea urchin flagella (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
Slow muscle:
In the carp, force–velocity relationship and myosin subunit composition (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Slug:
Modulation of heart activity (WELSFORD AND PRIOR) **155**, 1
Small cardioactive peptide:
Role in modulation of slug heart activity (WELSFORD AND PRIOR) **155**, 1
Snail:
Achatina fulica, neural control of buccal muscle movement (YOSHIDA AND KOBAYASHI) **155**, 415
Intracellular pH in an aestivating land snail (REES, MALHOTRA, SHAPIRO AND HAND) **159**, 525
Lymnaea stagnalis, motor control of withdrawal (FERGUSON AND BENJAMIN) **158**, 63
Modulation of postsynaptic calcium influx in *Helisoma trivolvis* (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Sensory activation of withdrawal (FERGUSON AND BENJAMIN) **158**, 97
Snake:
Effect of pregnancy on red blood cell oxygen-affinity (RAGSDALE AND INGERMANN) **159**, 501
Effect of pregnancy on red cell oxygen-affinity (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Kinematics of concertina locomotion (JAYNE AND DAVIS) **156**, 539
Sniffing:
Olfactory sampling in flounders (NEVITT) **157**, 1
Sodium:
Effect on excitability of cultured leech ganglion cells (SCHIRRMACHER AND DEITMER) **155**, 435
Effect on proline transport by starfish pyloric caeca (AHEARN AND BEHNKE) **158**, 477
Level in trout blood after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Transport by frog oocytes (TOWLE, BAKSINSKI, RICHARD AND KORDYLEWSKI) **159**, 359
Sodium transport:
In adult salamanders during respiratory acidosis (STIFFLER) **157**, 47
Song:
Patterns, processing of, by grasshopper interneurones (STUMPNER, RONACHER AND VON HELVERSEN) **158**, 411
Sound:
Propagation of the bush-cricket call (STEPHEN AND HARTLEY) **155**, 227
Spectral analysis:
Of the heart rate variability signal in trout (DE VERA AND PRIEDE) **156**, 611
Speed:
Of flying bats, effects of wing loading (HUGHES AND RAYNER) **161**, 285
Spermatozoon:
Dynamics of motility (HAMAGUCHI, ISHIJIMA, HAMAGUCHI AND HIRAMOTO) **161**, 537
***Spheniscus demersus*:**
Determination of movements using a compass system (WILSON, WILSON, LINK, MEMPEL AND ADAMS) **157**, 557
Spider:
Function of the coxal organs (BUTT AND TAYLOR) **158**, 439
Spinal cord:
Of frog embryo, ventral neurones involved in the swimming motor programme (SOFFE AND SILLAR) **156**, 101
Spinal reflexes:
In the cultured central nervous system of an opossum (STEWART, ZOU, TREHERNE, MÖLLGÅRD, SAUNDERS AND NICHOLLS) **161**, 25
Spiperone:
Effect on fluid secretion by insect Malpighian tubules (MADDRELL, HERMAN, MOONEY AND OVERTON) **156**, 557
Sprint speed:
Reduction of, in gravid lizards (SINERVO, HEDGES AND ADOLPH) **155**, 323
***Squalus acanthias*:**
Action of rat atriopeptin on vascular smooth muscle (EVANS) **157**, 551
Distribution of carbonic anhydrase in the uterus (FLÜGEL AND LÜTJEN-DRECOLL) **158**, 531
Squid:
Glutamate receptors on the giant axon Schwann cells (EVANS, REALE, MERZON AND VILLEGAS) **157**, 593

Starfish:
Epithelial Na^+/H^+ exchange (AHEARN AND FRANCO) **158**, 495
Proline transport by pyloric caeca (AHEARN AND BEHNKE) **158**, 477
Startle response:
Noninvasive recording of electrical events in a fish larva (FEATHERSTONE, DREWES AND COATS) **158**, 583
Of rainbow trout (COVELL, SMITH, HARPER AND BLAKE) **156**, 453
Station-holding:
By salmon parr, role of pectoral fins (ARNOLD, WEBB AND HOLFORD) **156**, 625
Stemmata:
In the eye of a larval butterfly (ICHIKAWA) **155**, 127
***Stentor coeruleus*:**
Inhibitors of oral regeneration (MALONEY, WALSH AND RHOADARMER) **161**, 135
***Steroplurus nobrei*:**
Transmission of calls (STEPHEN AND HARTLEY) **155**, 227
Stick insect:
Function of the retractor unguis muscle (RADNIKOW AND BÄSSLER) **157**, 87
Gain control in a proprioceptive reflex (KITTMANN) **157**, 503
Stoichiometry:
Of Na^+/H^+ exchange by starfish pyloric caecal membrane (AHEARN AND FRANCO) **158**, 495
Stomatogastric ganglion:
In the lobster, graded synaptic transmission (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267
Storage:
Of calcium in the Malpighian tubules of *Rhodnius* (MADDRELL, WHITTEMBURY, MOONEY, HARRISON, OVERTON AND RODRIGUEZ) **157**, 483
Storage-excretion:
Induced by desiccation, in an ixodid tick (SIGAL, MACHIN AND NEEDHAM) **157**, 585
Strand receptor:
In the locust leg (SKORUPSKI AND HUSTERT) **158**, 599
Stress:
Effect on trout erythrocyte β-adrenoreceptors (REID AND PERRY) **158**, 217
Stretch receptor:
Of the crayfish, pH regulation (MOSER AND MAIR) **157**, 227
***Strongylocentrotus purpuratus*:**
Muscle phosphagens (ELLINGTON) **158**, 591
Strontium:
Transport of, in a coral (IP AND LIM) **159**, 507
***Stylonychia mytilus*:**
Voltage-coupled ciliary activity (MOGAMI AND MACHEMER) **161**, 239
Substance P:
Effect on gut blood flow in cod (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Suckers:
In octopus, negative pressure under (SMITH) **157**, 257
Sucrose block:
Effect on the swimmeret rhythm in the isolated crayfish nervous system (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
Suction:
Role in the adhesion of limpets (SMITH) **161**, 151
Swimbladder:
Factors affecting secretion of gas into (LUNDIN AND HOLMGREN) **157**, 287
Swimmeret rhythm:
In the isolated nervous system (BARTHE, BÉVENGUT AND CLARAC) **157**, 205
Swimmerets:
Role in the maintenance of abdominal posture in the lobster (KNOX AND NEIL) **155**, 605
Swimming:
Action of acetylcholine on swimming frog embryos (PANCHIN, PERRINS AND ROBERTS) **161**, 527
Backward, in *Paramecium*, modulation of (BERNAL, KELSEY AND EHRLICH) **155**, 505
Comparative aspects of muscle action (JOHNSTON) **160**, 167
Development of, in frog embryos (SOFFE) **156**, 81; (SOFFE AND SILLAR) **156**, 101
Fast-start performance in pike (HARPER AND BLAKE) **155**, 175
Fast-start performance in rainbow trout (WEBB, SIMS AND SCHULTZ) **155**, 219
In instrumented penguins (CULIK AND WILSON) **158**, 355
Mechanical properties of fish muscle (JOHNSON AND JOHNSTON) **157**, 409
Mechanics of, in ducks under water (LOVVORN, JONES AND BLAKE) **159**, 89
Muscle deformation during fast starts in trout (COVELL, SMITH, HARPER AND BLAKE) **156**, 453

Properties of pteropod mollusc muscle (SATTERLIE) **159**, 285
Respiratory and cardiovascular adjustments of birds (BUTLER) **160**, 233
Station-holding by salmon parr (ARNOLD, WEBB AND HOLFORD) **156**, 625
Symmorphosis:
In fish (RANDALL AND BRAUNER) **160**, 113
Synaptic modulation:
In the pond snail (RICHMOND, FUNTE, SMITH, PRICE AND HAYDON) **161**, 257
Synaptic transmission:
Graded, temperature sensitivity (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267

T neurone:
Effect of serotonin on the electrogenic pump (CATARSI AND BRUNELLI) **155**, 261
Tailflip:
Of the lobster, variations during the moult cycle (CROMARTY, COBB AND KASS-SIMON) **158**, 565
Taste:
Plant host recognition by the Colorado beetle (SPERLING AND MITCHELL) **157**, 439
Taurine:
Induces acid secretion in notaspid snails (GILLETTE, SAEKI AND HUANG) **156**, 335
***Tectura scutum*:**
Role of suction in adhesion (SMITH) **161**, 151
Telemetry:
Of swimming penguins (CULIK AND WILSON) **158**, 355
***Teleogryllus oceanicus*:**
Habituation of acoustic startle (MAY AND HOY) **159**, 489
Teleost:
Effect of substance P and VIP on gut blood flow (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Heart rate variability in trout (DE VERA AND PRIEDE) **156**, 611
Temperature:
Critical transition, for water vapour absorption by fleshfly pupae (YODER AND DENLINGER) **157**, 273
Effect on exercise in fish (RANDALL AND BRAUNER) **160**, 113
Effect on graded synaptic transmission in the lobster (JOHNSON, PECK AND HARRIS-WARRICK) **156**, 267
Effect on malate dehydrogenases of deep-sea invertebrates (DAHLHOFF AND SOMERO) **159**, 473
Effect on mechanical properties of fish muscle (JOHNSON AND JOHNSTON) **157**, 409
Effect on red cell oxygen-affinity in a snake (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Preferred, effect of hypoxia, in rainbow trout (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
Temperature acclimation:
Effect on properties of carp muscle (LANGFELD, CROCKFORD AND JOHNSTON) **155**, 291
Temperature regulation:
In flying pigeons (CRAIG AND LAROCHELLE) **155**, 193
***Tenebrio molitor*:**
Ion activities in the rectal complex (O'DONNELL AND MACHIN) **155**, 375
Tenebrionid beetles:
Mass scaling of ventilation (LIGHTON) **159**, 249
***Terebratalia transversa*:**
Hydrodynamics of rapid shell closure (ACKERLY) **156**, 287
Terrestrial locomotion:
Energy costs of (BAUDINETTE) **160**, 208
Tettigoniid:
Bush-cricket, transmission of the call (STEPHEN AND HARTLEY) **155**, 227
***Thamnophis elegans*:**
Changes in red cell physiology after birth (INGERMANN, BERNER AND RAGSDALE) **157**, 579
Effect of pregnancy on red cell oxygen-affinity (INGERMANN, BERNER AND RAGSDALE) **156**, 399
Thermal efficiency:
Of evaporative cooling in a cicada (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Thermogenesis:
In scombroid fish (TULLIS, BLOCK AND SIDELL) **161**, 383
Thermoregulation:
Behavioural, in rainbow trout (SCHURMANN, STEFFENSEN AND LOMHOLT) **157**, 75
By animal species (BENNETT) **160**, 1
By honeybees (UNDERWOOD) **157**, 19
Of hypoxic toads (WOOD AND MALVIN) **159**, 203
Three-dimensional information:
Used to study the dynamics of cell motility (HAMAGUCHI, ISHIJIMA, HAMAGUCHI AND HIRAMOTO) **161**, 537

Threshold:
For sensory discrimination of the electric organ discharge, by *Eigenmannia* (KRAMER AND KAUNZINGER) **161**, 43
Tick:
Water vapour absorption (SIGAL, MACHIN AND NEEDHAM) **157**, 585
Tilapia:
Transport of acetate across the basolateral membrane (TITUS AND AHEARN) **156**, 41
Toad:
Acid–base regulation in *Bufo marinus* (SNYDER AND NESTLER) **161**, 415
Behavioural hypothermia in hypoxia (WOOD AND MALVIN) **159**, 203
Circulatory mechanics (GIBBONS AND SHADWICK) **158**, 255, 291
Electrolyte transport by large intestinal enterocytes (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275
Energetics of a gait change (ANDERSON, FEDER AND FULL) **158**, 133
Toadfish:
Metabolic and enzymatic heterogeneity in the liver (MOMMSEN AND WALSH) **156**, 407
Toe pad:
Of tree frogs, adhesion and detachment (HANNA AND BARNES) **155**, 103
Tongue projection:
By a chameleon capturing prey (WAINWRIGHT, KRAKLAU AND BENNETT) **159**, 109
Tongue protraction:
By a feeding frog (NISHIKAWA AND ROTH) **159**, 217
Transepithelial potential difference:
In the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Of trout adapted to water of different salinities (IWAMA AND HEISLER) **158**, 1
Transport:
Of acetate by tilapia basolateral membrane (TITUS AND AHEARN) **156**, 41
Of calcium and strontium in a coral (IP AND LIM) **159**, 507
Of ions by the mealworm rectal complex (O'DONNELL AND MACHIN) **155**, 375
Of potassium, across insect midgut (CHAO, MOFFETT AND KOCH) **155**, 403
Of proline by starfish pyloric caeca (AHEARN AND BEHNKE) **158**, 477
Tree frog:
Adhesion and detachment of toe pads (HANNA AND BARNES) **155**, 103
Trichoid sensilla:
On locust hindleg, electrophysiology (NEWLAND) **155**, 487
***Tritonia diomedea*:**
Neural response to magnetic fields (LOHMANN, WILLOWS AND PINTER) **161**, 1
Trout:
Heart rate variability signal (DE VERA AND PRIEDE) **156**, 611
K^+ transport in isolated hepatocytes (BIANCHINI, FOSSAT, PORTHÉ-NIBELLE AND LAHLOU) **157**, 335
Renin, ANP and plasma ions after seawater transfer (SMITH, EDDY, STRUTHERS AND TALBOT) **157**, 63
Salvelinus fontinalis, utilization of lactate by heart muscle (MILLIGAN AND WOOD) **155**, 357
***Tupaia glis*:**
Visual pigments (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
Turtle:
Magnetic orientation by hatchlings (LOHMANN) **155**, 37

Ultrasound:
Response to, in flying crickets (MAY AND HOY) **159**, 489
Updraught:
Used by kestrels in hanging flight (VIDELER AND GROENEWOLD) **155**, 519
Urate:
Buffering role in locust Malpighian tubules (STAGG, HARRISON AND PHILLIPS) **159**, 433
Ureogenesis:
In toadfish hepatocytes (MOMMSEN AND WALSH) **156**, 407
Urinary bladder:
Function in freshwater trout (CURTIS AND WOOD) **155**, 567
Urine:
Composition of, in freshwater trout (CURTIS AND WOOD) **155**, 567
Formation of, by a centipede (WENNING, GREISINGER AND PROUX) **158**, 165
Reprocessing of, in the branchial chamber of land crabs (MORRIS, TAYLOR AND GREENAWAY) **161**, 315
***Urticina eques*:**
Effects of neurotransmitters on slow muscles (McFARLANE, ANDERSON AND GRIMMELIKHUIJZEN) **156**, 419
Uterus:
Of dogfish, distribution of carbonic anhydrase (FLÜGEL AND LÜTJEN-DRECOLL) **158**, 531

Vacuolar-type ATPase:
In insect midgut (KLEIN, LÖFFELMANN AND WIECZOREK) **161**, 61

Vagus:
Effect of stimulation on carp breathing rhythm (DE GRAAF AND ROBERTS) **155**, 77
Vanadate:
Effect on proton excretion by the trout gill (LIN AND RANDALL) **161**, 119
***Vanessa cardui*:**
Feeding, energy processing rates and egg production (HAINSWORTH, PRECUP AND HAMILL) **156**, 249
Vascular impedance:
In the toad arterial system (GIBBONS AND SHADWICK) **158**, 291
Vasoactive intestinal polypeptide:
Effect on gut blood flow in the cod (JENSEN, AXELSSON AND HOLMGREN) **156**, 361
Effect on secretion of gas into the teleost swimbladder (LUNDIN AND HOLMGREN) **157**, 287
Vasodilation:
Of fish ventral aorta by rat atriopeptin (EVANS) **157**, 551
***Velella velella*:**
Aerodynamic performance of the sail (FRANCIS) **158**, 117
Ventilation:
Control of, during exercise (TURNER) **160**, 309
In an air-breathing fish (HEDRICK, BURLESON, JONES AND MILSOM) **155**, 165
In desert beetles (LIGHTON) **159**, 249
In fish exercised exhaustively (WOOD) **160**, 285
Of crab gills (RAJASHEKHAR AND WILKENS) **155**, 147
Ventilation rate:
Scaling of, in mammals (WORTHINGTON, YOUNG AND ALTRINGHAM) **161**, 533
Ventilatory control:
In an air-breathing fish (McKENZIE, BURLESON AND RANDALL) **161**, 347
Ventilatory cycle:
In the cockroach (MACHIN, KESTLER AND LAMPERT) **161**, 439
***Vespertilio murinus*:**
Wing moment of inertia (THOLLESSON AND NORBERG) **158**, 19
Vibration:
Detection of, by an atympanate bushcricket (LAKES-HARLAN, BAILEY AND SCHIKORSKI) **158**, 307
Videomicroscopy:
Double-focal, used to analyse the dynamics of cell motility (HAMAGUCHI, ISHIJIMA, HAMAGUCHI AND HIRAMOTO) **161**, 537
Vision:
A motion-sensitive descending neurone in the honeybee (IBBOTSON) **157**, 573
Integration of colour signals in the medulla of a butterfly larva (ICHIKAWA) **155**, 127
Properties of butterfly motion-sensitive neurones (MADDESS, DUBOIS AND IBBOTSON) **161**, 171
Role in course control of flying crickets (BÖHM, SCHILDBERGER AND HUBER) **159**, 235
Visual interneurone:
In the medulla of a butterfly larva (ICHIKAWA) **155**, 127
Visual orientation:
Of flying locusts (PREISS AND GEWECKE) **157**, 461
Visual pigments:
In New World monkeys (BOWMAKER, ASTELL, HUNT AND MOLLON) **156**, 1
Volatile fatty acid:
Transport of, by tilapia basolateral membrane (TITUS AND AHEARN) **156**, 41
Voltage-clamp:
Used to measure ionic currents in sea anemone muscle cells (HOLMAN AND ANDERSON) **161**, 333
Used to study potential-coupled ciliary beating (MOGAMI AND MACHEMER) **161**, 239
Vortex formation:
During tethered flight of a butterfly (BRODSKY) **161**, 77

Walking:
Effect of load on stick insect stepping (DEAN) **159**, 449
Energy-saving mechanisms (ALEXANDER) **160**, 55
Leg coordination in amputee cockroaches (DELCOMYN) **156**, 483, 503
Water:
Tensile strength (SMITH) **157**, 257
Water balance:
In a desert beetle (ZACHARIASSEN) **157**, 425
In a spider (BUTT AND TAYLOR) **158**, 439
In fleshfly pupae in diapause (YODER AND DENLINGER) **157**, 273
Water loss:
During cooling in a desert cicada (HADLEY, QUINLAN AND KENNEDY) **159**, 269
Spiracular and cuticular, in a cockroach (MACHIN, KESTLER AND LAMPERT) **161**, 439

Water vapour:
Absorption of, by an ixodid tick (SIGAL, MACHIN AND NEEDHAM) **157**, 585
Absorption of, by fleshfly pupae (YODER AND DENLINGER) **157**, 273
Waveform:
Discrimination, in an electric fish (KRAMER AND OTTO) **159**, 1
Of flagellar beating, in sea urchin (SHINGYOJI, GIBBONS, MURAKAMI AND TAKAHASHI) **156**, 63
Whelk:
Glycolytic enzyme binding during anoxia (BROOKS AND STOREY) **156**, 467
Wind drift:
Compensation for, in locusts (PREISS AND GEWECKE) **157**, 461
Windkessel:
The toad aorta (GIBBONS AND SHADWICK) **158**, 291
Wing:
Moment of inertia, in bats (THOLLESSON AND NORBERG) **158**, 19
Role in temperature regulation in flying pigeons (CRAIG AND LAROCHELLE) **155**, 193
Wing loading:
Effect on flight performance in bats (HUGHES AND RAYNER) **161**, 285
Wing tegulae:
Effect of removal on the locust flight system (BÜSCHGES AND PEARSON) **157**, 313
Wingbeat frequency:
In flying bats, effect of wing loading (HUGHES AND RAYNER) **161**, 285
Winter flounder:
Glycogen restoration in exercised muscle (PAGNOTTA AND MILLIGAN) **161**, 489
Withdrawal:
Coordination of, in a snail (SYED AND WINLOW) **158**, 37
Motor control of, in a snail (FERGUSON AND BENJAMIN) **158**, 63
Sensory activation of, in a snail (FERGUSON AND BENJAMIN) **158**, 97
Work:
Of breathing, in the horse (LAFORTUNA AND SAIBENE) **155**, 245
Oscillatory, by isolated cod muscle (MOON, ALTRINGHAM AND JOHNSTON) **158**, 261
Oscillatory, frequency of, in mammalian diaphragm (ALTRINGHAM AND YOUNG) **157**, 381
Oscillatory, in fish muscle, effects of temperature (JOHNSON AND JOHNSTON) **157**, 409

***Xenopus laevis*:**
A Na^+/H^+ antiporter in oocytes (TOWLE, BAKSINSKI, RICHARD AND KORDYLEWSKI) **159**, 359
Action of acetylcholine on the locomotor central pattern generator (PANCHIN, PERRINS AND ROBERTS) **161**, 527
Electrolyte transport by large intestinal enterocytes (KRATTENMACHER, VOIGT, HEINZ AND CLAUSS) **155**, 275